



UNIVERSITÄT ERLANGEN-NÜRNBERG
DEPARTMENT WERKSTOFFWISSENSCHAFTEN
- ALLGEMEINE WERKSTOFFEIGENSCHAFTEN -

Lehrstuhl I, Prof. Dr. M. Göken

Veröffentlichungen/Publications

2002

1/2002, H. Biermann, M. Riemer and H. Mughrabi, X-ray study of residual strains in lamellar PST-crystals of the intermetallic alloy TiAl after high-temperature compressive deformation. In: Proc. Int. Symp. TurbOMat, Advanced Thermal Barrier Coatings and Titanium Aluminides for Gas Turbines, DRL, Bonn, 2002, pp. 116-120

2/2002, G. Eisenmeier, H.W. Höppel, H.-Z. Ding, H. Mughrabi, "Ermüdungslebensdauer der Magnesiumlegierung AZ 91: Experiment und Modellierung. In: in: Mechanismenorientierte Lebensdauervorhersage für zyklisch beanspruchte metallische Werkstoffe", <http://dx.doi.org/2. DVM/DFG-Kolloquium „Lebensdauervorhersage“>, Berlin, 2002, pp.169-178

3/2002, M. Kautz, H.W. Höppel, Z.M. Zhou, H. Mughrabi, "Fatigue lives and cyclic deformation behaviour of ultrafine grained materials. In: in: Mechanismenorientierte Lebensdauervorhersage für zyklisch beanspruchte metallische Werkstoffe", <http://dx.doi.org/2. DVM/DFG-Kolloquium „Lebensdauervorhersage“>, Berlin, 2002, pp. 179-188

4/2002, W. Blum, P. Eisenlohr, F. Breutinger, Understanding creep – a review. In: Mater. Trans 33A (2002) 291-303

5/2002, R. Sedláček, W. Blum, J. Kratochvíl, S. Forest, Subgrain formation during deformation: Physical origin and consequences. In: Mater. Trans. 33A (2002) 319-327

6/2002, H. Mughrabi, Fatigue crack initiation mechanisms and fatigue life in high-cycle and in ultrahigh-cycle fatigue Proc. of a Symposium held at the 2002 TMS Annual Meeting, Seattle, Washington, USA, Fatigue – David. L. Davidson Symposium, K.S. Chan, P.K. Liaw, R.S. Bellows, T.C. Zogas and W.O. Soboyejo (eds.), TMS, Warrendale, USA, pp. 3-15. In:

7/2002, W. Blum, P. Eisenlohr, From power laws to constitutive relations – creep as a special case of crystal plasticity. In: Proc. of a Symposium held at the 2002 TMS Annual Meeting, Seattle, Washington, Creep Deformation: Fundamentals & Applications, R.S. Mishra, J.C. Earthman and S.V. Raj (eds.), TMS, Warrendale, USA, 2002, pp. 21-30

8/2002, P. Eisenlohr, W. Blum, M. De Sanctis, L. Lazzeri, Tertiary creep in a precipitation hardened Al-alloy due to dynamic transformation of precipitates. In: Proc. of a Symposium held at the 2002 TMS Annual Meeting, Seattle, Washington, Creep Deformation: Fundamentals & Applications, R.S. Mishra, J.C. Earthman and S.V. Raj (eds.), TMS, Warrendale, USA, 2002, pp. 279-288

9/2002, Z. Lu, F. Pyczak, H. Biermann, H. Mughrabi, Measurement of local elastic strains in the single-crystal nickel-based superalloy CMSX-6 by convergent-beam electron diffraction. In: Phil. Mag. A 82 (2002) 1219-1234, <http://dx.doi.org/10.1080/01418610110105650>

- 10/2002, H.W. Höppel, Z.M. Zhou, H. Mughrabi, R.Z. Valiev, Microstructural study of the parameters governing coarsening and cyclic softening in fatigued ultrafine-grained copper. In: *Phil. Mag. A* 82 (2002) 1781-1794, <http://dx.doi.org/10.1080/01418610210131399>
- 11/2002, H. Mughrabi, Microstructural aspects of metal fatigue resistance. In: *Proc. of 8th Int. Fatigue Congress, FATIGUE 2002*, A. Blom (ed.), vol. 2, EMAS Ltd., West Midlands, UK, 2002, pp. 971-982
- 12/2002, H.W. Höppel, Z.M. Zhou, M. Kautz, H. Mughrabi, R.Z. Valiev, Cyclic deformation behaviour of ultrafine-grained copper produced by equal channel angular pressing. In: *Proc. of 8th Int. Fatigue Congress, FATIGUE 2002*, A. Blom (ed.), vol. 3, EMAS Ltd., West Midlands, UK, 2002, pp. 1617-1624
- 13/2002, H.W. Höppel, G. Eisenmeier, B. Holzwarth, H. Mughrabi, Cyclic deformation and fatigue behaviour of the magnesium alloy AZ91: temperature effects and two-step fatigue tests. In: *Proc. of 8th Int. Fatigue Congress, FATIGUE 2002*, A. Blom (ed.), vol. 3, EMAS Ltd., West Midlands, UK, 2002, pp. 1633-1640
- 14/2002, A. Vinogradov, H. Biermann, O. Hartmann, Acoustic emission monitoring of damage evolution during fatigue of metal matrix composites. In: *Proc. of 8th Int. Fatigue Congress, Fatigue 2002*, A. Blom (ed.), vol. 3, EMAS, West Midlands, U.K., 2002, pp. 1939-1948
- 15/2002, O. Hartmann, M. Kemnitzer, H. Biermann, Influence of reinforcement morphology and matrix strength of metal-matrix composite on the cyclic deformation and fatigue behaviour. In: *Int. J. Fat.* 24 (2002) 215-221
- 16/2002, G. Eisenmeier, H.W. Höppel, H.-Z. Ding, H. Mughrabi, Ermüdungslebensdauer der Magnesiumlegierung AZ91: Experiment und Modellierung. In: *Mat.-wiss. u. Werkstofftechn.* 33 (2002) 238-243
- 17/2002, H.-Z. Ding, O. Hartmann, H. Biermann, H. Mughrabi, Modelling low-cycle fatigue life of particulate-reinforced metal-matrix composites. In: *Mat. Sci. Eng. A* 333 (2002) 295-305, [http://dx.doi.org/10.1016/S0921-5093\(01\)01854-8](http://dx.doi.org/10.1016/S0921-5093(01)01854-8)
- 18/2002, H. Biermann, H.-J. Christ, H.W. Höppel, Editorial in special issue of the occasion of Prof. Mughrabi's 65th Birthday, Haël Mughrabi – 65 years. In: *Z. Metallkd.* 93 (2002) 600-601
- 19/2002, B. Reppich, On the dispersion strengthening mechanisms in ODS materials. In: *Z. Metallkd.* 93 (2002) 605-613
- 20/2002, H.W. Höppel and R.Z. Valiev, On the possibilities to enhance the fatigue properties of ultrafine-grained metals. In: *Z. Metallkd.* 93 (2002) 641-648
- 21/2002, W. Blum and F. Breuting, New method of determining stress relaxation behaviour in creep machines by controlled unloading. In: *Z. Metallkd.* 93 (2002) 649-653
- 22/2002, H. Biermann, A. Vinogradov and O. Hartmann, Fatigue damage evolution in a particulate-reinforced metal matrix composite determined by acoustic emission and compliance method. In: *Z. Metallkd.* 93 (2002) 719-723
- 23/2002, V. Pugsley, G. Korn, S. Luyckx and H.-G. Sockel, On localised corrosive attack, stress corrosion cracking and corrosion fatigue effects in a hardmetal cutting-tool material. In: *Z. Metallkd.* 93 (2002) 745-749
- 24/2002, J. Zeschky, J.S.H. Lo, M. Scheffler, H.W. Höppel, M. Arnold and P. Greil, Polysiloxane-derived ceramic foam for the reinforcement of Mg alloy. In: *Z. Metallkd.* 93 (2002) 812-818
- 25/2002, A. Borbély, H. Mughrabi, G. Eisenmeier and H.W. Höppel, A finite element modelling study of strain localization in the vicinity of near-surface cavities as a cause of subsurface fatigue crack initiation. In: *Int. J. Frac.* 115 (2002) 227-232
- 26/2002, R. Sedlacek and W. Blum, Microstructure-based constitutive law of plastic deformation. In: *Comp. Mater. Sci.* 25 (2002) 200-206.

- 27/2002, H. Mughrabi, On "multi-stage" fatigue life diagrams and the relevant life-controlling mechanisms in ultrahigh-cycle fatigue. In: Fatigue Fract. Engng. Mater. Struct. 25 (2002) 755-764
- 28/2002, H.-Z. Ding, H. Mughrabi and H.W. Höppel, A low-cycle fatigue life predication model of ultrafine-grained metals. In: Fatigue Fract. Engng. Mater. Struct. 25 (2002) 975-984.
- 29/2002, J. Zeschky, J.S.H. Lo, M. Scheffler, H.W. Höppel, M. Arnold and P. Greil, Finite element simulation of spherical indentation in the elastic – plastic transition. In: Z. Metallkd. 93 (2002) 857-861
- 30/2002, R. Agamennone and W. Blum, Martensitic/ferritic super heat-resistant 650°C steels – microstructure. In: Proc. Of the 7th Liege Conference Materials for Advanced Power Engineering J. Lecomte-Beckers, M. Carton, F. Schubert and P.J. Ennis (eds.) Vol. 2, 2002, 1161-1171
- 31/2002, R. Agemennone, C. Berger, W. Blum, J. Ehlers, J. Granacher, G. Inden, V. Knuzevic, J. Quadackers, G. Sauthoff, A. Scholz, L. Singheiser, J. Vilk and Y. Wang, Martensitic/ferritic super heat-resistant 650°C steels. In: Proc. Of the 7th Liege Conference Materials for Advanced Power Engineering J. Lecomte-Beckers, M. Carton, F. Schubert and P.J. Ennis (eds.) Vol. 3, 2002, 1279-1289
- 32/2002, V. Knezevic, G. Sauthoff, V. Bilk, G. Inden, A. Schneider, R. Agemennone, W. Blum, Y. Wang, A. Scholz, C. Berger, J. Ehlers, L. Singheiser, Martensitic/ferritic super heat-resistant 650°C steels – Design and testing of model alloys. In: ISIJ International 42 (2002) 1505-1514
- 33/2002, H. Mughrabi, T. Ungar, Long-Range internal stresses in deformed single-phase materials: The composite Model and its consequences. In: Dislocations in Solids (ed. F.R.N. Nabarro and M.S. Duesbery), 2002
- 34/2002, K. Durst, F. Pyczak, H. Biermann, M. Göken, H. Mughrabi, H. Vehoff, Microstructural and micromechanical characterisation of nickel-base superalloys by CBED and nanoindentation investigations. In: Proc. of Materialsweek 2002, Werkstoffwoche-Partnerschaft, Werkstoffinformationsgesellschaft (eds.), Frankfurt

2003

- 1/2003, G. Götz, W. Blum, Influence of thermal history on precipitation of hardening phases in tempered martensite 10%Cr-steel X12CrMoWVNbN 10-1-1. In: Mat. Sci. Eng. A348 (2003) 201-207
- 2/2003, Y. Qin, G. Götz, W. Blum, Subgrain structure during annealing and creep of the cast martensitic Cr-steel G-X12CrMoWVNbN 10-1-1. In: Mat. Sci. Eng. A341 (2003) 211-215
- 3/2003, F. Breutingger, Y. Li, J. Zeschky, S.H. Lo, W. Blum, Stress relaxation in Mg-Al-Alloys AZ31 reinforced by ceramic foam. In: Mat. Sci. Forum 419-422 (2003) 811-816, <http://dx.doi.org/10.4028/www.scientific.net/MSF.419-422.811>
- 4/2003, S. Wöllmer, S. Zaeferrer, M. Göken, Th. Mack, U. Glatzel, Characterization of phases of aluminized nickel base superalloys. In: Surface and Coatings Technology 167 (2003) 83-96, [http://dx.doi.org/10.1016/S0257-8972\(02\)00843-5](http://dx.doi.org/10.1016/S0257-8972(02)00843-5)
- 5/2003, H.W. Höppel, F.C. Neuner, Untersuchung von mikrostrukturellen Einflussgrößen auf das Reiber-müdungsverhalten und auf die Schädigungsmechanismen am Beispiel von Eisenbasislegierungen. In: 10. Roell Amsler Symposium World of Dynamic Testing, Vol. 03/6, F. Klubberg und I. Klopfer (Hrsg.), 2003, S. 93-106
- 6/2003, H. Mughrabi, On the dislocation mechanisms of dynamic strain ageing in fatigued plain carbon steels. In: Z. Metallkd. 94 (2003) 471-477
- 7/2003, P. Zhang, W. Blum, Precipitation of b-phase and twinning during deformation of Mg-Al alloy AZ91 at 150°C after solution treatment. In: Z. Metallkd. 94 (2003) 716-718

8/2003, H. Mughrabi, Microstructural aspects of cyclic deformation and fatigue of metals. In: "Thermomechanics, Microstructures and Plasticity, <http://dx.doi.org/> Kluwer Academic Publishers, A. Finel et al. (eds.), 2003, pp. 205-214"

9/2003, O. Hartmann, H. Biermann, Mechanisches Verhalten und Ermüdungseigenschaften von Metallmatrix-Verbundwerkstoffen. In: Metallische Verbundwerkstoffe, DGM, K.U. Kainer (Hrsg.), Wiley-VCH, Weinheim, 2003, S. 185-209

10/2003, Z. Lu, F. Pyczak, S. Krämer, H. Biermann, H. Mughrabi, Fast and reliable evaluation of lattice distortions from convergent-beam electron diffraction patterns. In: Phil. Mag. 83 (2003) 2383-2397, <http://dx.doi.org/10.1080/0141861031000109573>

11/2003, F.C. Neuner, U. Tetzlaff, H. Mughrabi, Enhancement of thermomechanical fatigue resistance of a monocrystalline nickel-base superalloy by pre-rafting. In: Thermomechanical Fatigue Behaviour of Materials: Vol. 4, ASTM STP 1428, M.A. McGaw, S. Kalluri, J. Bressers and S.D. Peteves, (eds.), ASTM International, West Conshohocken, PA, pp. 112-126

12/2003, F. Grube, E.A. Affeldt, H. Mughrabi, Thermomechanical fatigue behaviour of an alumine-coated monocrystalline Ni-base superalloy. In: Thermomechanical Fatigue Behaviour of Materials: Vol. 4, ASTM STP 1428, M.A. McGaw, S. Kalluri, J. Bressers and S.D. Peteves, (eds.), ASTM International, West Conshohocken, PA, pp. 164-179

13/2003, H. Mughrabi, H.W. Höppel, M. Kautz, R.Z. Valiev, Annealing treatments to enhance thermal and mechanical stability of ultrafine-grained metals produced by severe plastic deformation. In: Z. Metallkd. 94 (2003) 1079-1083

14/2003, Y. Qin, G. Götz, W. Blum, Z.G. Zhu, Determination of size distribution of precipitates in the cast martensitic steel G-X12CrMoWVNbN 10-1-1 by direct and indirect method. In: J. of Alloys and Compounds 352 (2003) 260-264, [http://dx.doi.org/10.1016/S0925-8388\(02\)01092-7](http://dx.doi.org/10.1016/S0925-8388(02)01092-7)

15/2003, W. Blum, Y.J. Li, X.H. Zeng, B. von Großmann, C. Haberling, Creep resistance and creep kinetics of Mg-alloys. In: Proc. of 6th Int. Conf. on Magnesium-Alloys and their Applications, K.U. Kainer (ed.), Wiley-VCH, Weinheim, 2003, pp. 62-67

16/2003, P. Eisenlohr, M. Winning, W. Blum, Migration of subgrain boundaries under stress in bi- and multi-granular structures. In: phys. stat. sol. (a) 200 (2003) 339-345, <http://dx.doi.org/10.1002/pssa.200306698>

2004

1/2004, K. Durst, M. Göken, H. Vehoff, Finite element study for nanoindentation measurements on two-phase materials. In: J. Mater. Res. 19 (2004) 85-93

2/2004, M. Kautz, H.W. Höppel, H. Mughrabi, Fatigue lives and cyclic deformation behaviour of ultrafine-grained metals and alloys. In: DFG-Abschlusskolloquium "Lebensdauervorhersage", DVM Berlin, 2004, pp. 117-125

3/2004, H. Mughrabi, Zbigniew Stanislaw Basinski's fundamental contributions to the understanding of metal fatigue. In: Phil. Mag. 84, (2004), 259-268, <http://dx.doi.org/10.1080/14786430310001612166>

4/2004, H.W. Höppel, C. Xu, M. Kautz, N. Barta-Schreiber, T.G. Langdon, H. Mughrabi, Cyclic deformation behaviour and possibilities for enhancing the fatigue properties of ultrafine-grained metals. In: Proc. of the Conf. "Nanomaterials by Severe Plastic Deformation – NANOSPD2", M. Zehetbauer and R.Z. Valiev (eds.), Wiley-VCH, Weinheim, 2004, pp. 677-683

5/2004, M. Göken, R. Magerle, M. Hund, K. Durst, Nanotomographie metallischer Gefüge. In: Prakt. Met. Sonderband 35, (P.D. Portella) (Hrsg.), Werkstoffinformationsgesellschaft mbH, Frankfurt, 2004, S. 257-262

6/2004, K. Durst, O. Franke, H.W. Höppel, Ernst E. Affeldt, M. Göken, Mikrostruktur und lokale mechanische Eigenschaften von platinmodifizierten Aluminidschichten auf Nickelbasis-Superlegierungen nach thermomechanischer Ermüdung. In: Prakt. Met. Sonderband 36, M. Pohl (Hrsg.), Werkstoffinformationsgesellschaft mbH, Frankfurt, 2004, 117-122

- 7/2004, K. Durst, M. Göken, Nanoindentierung – Eine Sonde für die lokalen mechanischen Eigenschaften. In: Prakt. Met. Sonderband 36, M. Pohl (Hrsg.), Werkstoffinformationsgesellschaft mbH, Frankfurt, 2004, 319-328
- 8/2004, E. Schweitzer, M. Göken, The grain boundary hardness in austenitic stainless steels studied by nanoindentations. In: Z. Metallkd. 95 (2004), 492-498
- 9/2004, H. Mughrabi, From single to collective dislocation glide instabilities: A hierarchy of scales, embracing the Neumann strain bursts. In: Z. Metallkd. 95 (2004), 411-415
- 10/2004, M. Kautz, H.W. Höppel, C. Xu, T.G. Langdon, H. Mughrabi, Fatigue lives and cyclic deformation behaviour of ultrafine-grained materials. In: 5th Int. Conf. on Low Cycle Fatigue, LCF, Berlin, P.D. Portella, H. Sehitoglu and K. Hatanaka (eds.), DVM Berlin, 46, (2004), 113-118
- 11/2004, F.C. Neuner, R. Nützel, H.W. Höppel, Fretting fatigue of low carbon steels in the high cycle fatigue regime. In: 5th Int. Conf. on Low Cycle Fatigue, LCF5, Berlin, P.D. Portella, H. Sehitoglu and K. Hatanaka (eds.), DVM Berlin, 46, (2004) 379-383
- 12/2004, F. Grube, E.E. Affeldt, H. Mughrabi, On the effect of platinum-modified aluminide coatings on a monocrystalline nickel base superalloy substrate under conditions of thermo-mechanical fatigue (TMF). In: 5th Int. Conf. on Low Cycle Fatigue, LCF, Berlin, P.D. Portella, H. Sehitoglu and K. Hatanaka (eds.), DVM Berlin, 46 (2004), 309-314
- 13/2004, H. Mughrabi, H.W. Höppel, M. Kautz, Fatigue and microstructure of ultrafine-grained metals produced by severe deformation. In: Scripta Mat. 51 (2004) 807-812, <http://dx.doi.org/10.1016/j.scriptamat.2004.05.012>
- 14/2004, H.W. Höppel, M. Göken, M. Klein, Large chamber scanning electron microscopes: Challenges and Aspects for Materials Science. In: G.I.T. Imaging & Microscopy 3, 2004, 34-35
- 15/2004, H. Mughrabi, On the current understanding of strain gradient plasticity. In: Mat. Sci. Eng. A 387-389 (2004), 209-213, <http://dx.doi.org/10.1016/j.msea.2004.01.086>
- 16/2004, K. Durst and M. Göken, Micromechanical characterisation of the influence of rhenium on the mechanical properties in nickel-base superalloys. In: Mat. Sci. Eng. A 387-389 (2004), 312-316, <http://dx.doi.org/10.1016/j.msea.2004.03.079>
- 17/2004, Y.J. Li, X.H. Zeng, W. Blum, Transition from strengthening to softening by grain boundaries in ultrafine-grained Cu. In: Acta Mat. 52 (2004) 5009-5018, <http://dx.doi.org/10.1016/j.actamat.2004.07.003>
- 18/2004, Y.J. Li, W. Blum, F. Breutingger, Does nanocrystalline Cu deform by coble creep near room temperature. In: Mat. Sci. Eng. A 387-389 (2004) 585-589, <http://dx.doi.org/10.1016/j.msea.2003.11.086>
- 19/2004, X.H. Zeng, Y.J. Li, W. Blum, On coble creep in ultrafine-grained Cu. In: phys. Stat. sol. (a) 201, (2004), R114-R117, <http://dx.doi.org/10.1002/pssa.200409072>
- 20/2004, S. Ulrich, C. Ziebert, M. Stüber, E. Nold, H. Holleck, M. Göken, E. Schweitzer, P. Schloßmacher, Correlation between constitution, properties and machining performance of TiN/ZrN multilayers. In: Surface & Coatings Technology 188-189 (2004), 331-337, <http://dx.doi.org/10.1016/j.surfcoat.2004.08.056>
- 21/2004, H.J. McQueen, W. Blum, Comparative Hot Workability of Al, Al-5Mg and Al-5Mg-0.7Mn Alloys. In: Int. Journ. for Industry Research and Appl., Aluminium 80 (2004) Part I: Mechanical and microstructural behaviours, 1151-1159. Part II: Hot ductility and extrusion, 1263-1270. Part III: Static restoration and rolling schedules, 1347-1355
- 22/2004, K. Durst, O. Franke, M. Göken, Nanoindentations as a local probe for the mechanical properties and alloying influences in nickel-base superalloys and aluminide coatings. In: Superalloys 2004, Edited by K.A Green, T.M. Pollock, H. Harada, T.E. Howson, R.C. Reed, J.J. Schirra and S. Walston, TMS (The Minerals, Metals & Materials Society) (2004) 467-476

23/2004, E. Schweitzer, K. Durst, D. Amberger, M. Göken, The Mechanical Properties in the Vicinity of grain boundaries in ultrafine-grained and Polycrystalline Materials Studied by Nanoindentations. In: Materials Research Society Symp. Prof. Vol 821 MRS, Warrendale, 2004, SP4.91-P4.9.6

24/2004, H.W. Höppel, J. May, M. Göken, Enhanced strength and ductility in ultrafine-grained aluminium produced by accumulative roll bonding. In: Advanced Engineering Materials 6, (2004) 781-784

25/2004, W. Blum, Y.J. Li, Influence of grain boundaries on steady-state deformation resistance of ultrafine-grained Cu. In: phys. Stat sol. (a) 201 (2004) 2915-2921, <http://dx.doi.org/10.1002/pssa.200406878>

2005

1/2005, A. Volek, F. Pyczak, R.F. Singer, H. Mughrabi, Partitioning of Re between gamma and gamma' phase in nickel-base superalloys. In: Scripta Mater. 52 (2005) 141-145, <http://dx.doi.org/10.1016/j.scriptamat.2004.09.013>

2/2005, K. Durst, B. Backes, M. Göken, Indentation size effect in metallic materials: Correcting for the size of the plastic zone. In: Scripta Mater. 52 (2005) 1093-1097, <http://dx.doi.org/10.1016/j.scriptamat.2005.02.009>

3/2005, K. Durst, B. Backes, M. Göken, Determination of plastic properties of polycrystalline metallic materials by nanoindentation – Experiments and finite element simulation. In: Mater. Res. Soc. Symp. Proc. Vol. 841, 2005, R11.4.1-R11.4.6

4/2005, R. Bürgel, J. Grossmann, O. Lüsebrink, H. Mughrabi, F. Pyczak, R.F. Singer, A. Volek, Development of a new alloy for directional solidification of large industrial gas turbine blades. In: "TMS, Superalloy 2004, <http://dx.doi.org/25-34>"

5/2005, F. Pyczak, B. Devrient, H. Mughrabi, The effects of different alloying elements on the thermal expansion coefficients, lattice constants and misfit of nickel-based superalloys investigated by X-ray diffraction. In: "TMS, Superalloy 2004, <http://dx.doi.org/827-836>"

6/2005, J. May, H.W. Höppel, M. Göken, Strain rate sensitivity of ultrafine-grained aluminium processed by severe plastic deformation. In: Scripta. Mater. 53 (2005) 189-194, <http://dx.doi.org/10.1016/j.scriptamat.2005.03.043>

7/2005, H. Mughrabi, Implications of non-negligible microstructural variations during steady-state deformation. In: Z. Metallkd. 96 (2005) 546-551

8/2005, H.W. Höppel, J. May, P. Eisenlohr, M. Göken, Strain-rate sensitivity of ultrafine-grained materials. In: Z. Metallkd. 96 (2005) 566-571

9/2005, H. Mughrabi, B. Obst, Misorientations and geometrically necessary dislocations in deformed copper crystals: A microstructural analysis of X-ray rocking curves. In: Z. Metallkd. 96 (2005) 686-695

10/2005, P. Eisenlohr, W. Blum, Bridging steady-state deformation behaviour at low and high temperature by considering dislocation dipole annihilation. In: Mat. Sci Eng. A400-401 (2005) 175-181, <http://dx.doi.org/10.1016/j.msea.2005.01.069>

11/2005, F. Pyczak, B. Devrient, F.C. Neuner, H. Mughrabi, The influence of different alloying elements on the development of the gamma/gamma' microstructure of nickel-base superalloys during high-temperature annealing and deformation. In: Acta Materialia 53 (2005) 3879-3891, <http://dx.doi.org/10.1016/j.actamat.2005.04.041>

12/2005, H. Mughrabi, F. Pschenitzka, Constrained glide and interaction of bowed-out screw dislocations in confined channels. In: Phil. Mag. 85 (2005) 3029-3045, <http://dx.doi.org/10.1080/14786430500079975>

13/2005, "W. Blum, Y.J. Li. In: H. Zeng, <http://dx.doi.org/P.Zhang>

14/2005, Y. J. Li, W. Blum, Strain rate sensitivity of Cu after severe plastic deformation by multiple compression. In: phys. Stat. sol

(a) 202, (2005), R119-R121, <http://dx.doi.org/10.1002/pssa.200521160>

15/2005, F. Pyczak, B. Devrient, F.C. Neuner, H. Mughrabi, The effect of alloying elements on the magnitude and temperature dependence of the γ/γ' lattice mismatch of some selected rhenium-free and rhenium-containing nickel-base superalloys. In: *Acta Materialia* 53 (2005), 3879-3891

16/2005, B. Wolf, M Göken, On the pressure dependence of the indentation modulus. In: On the pressure dependence of the indentation modulus

2006

1/2006, H. W. Höppel, Mechanical behaviour of ultrafine-grained metals under cyclic and monotonic loads: An overview. In: Proc. of 3rd Int. Conf. on Nanomaterials by Severe Plastic Deformation NANOSPD3, Fukuoka, Japan, 2005, Z. Horita (ed.), Trans Tech Publications, Uetikon, Switzerland, 2006, and Materials Science Forum 503-504 (2006), 259-266, <http://dx.doi.org/10.4028/www.scientific.net/MSF.503-504.259>

2/2006, K. Durst, B. Backes, O. Franke, M. Göken, Indentation size effect in metallic materials: Modelling strength from pop-in to macroscopic hardness using geometrically necessary dislocations. In: *Acta mater.* 54 (2006), 2547-2555, <http://dx.doi.org/10.1016/j.actamat.2006.01.036>

3/2006, J. May, H. W. Höppel, M. Göken, Strain rate sensitivity of ultrafine grained fcc- and bcc-type metals. In: Proc. of 3rd Int. Conf. on Nanomaterials by Severe plastic Deformation NANOSPD3, Z. Horita (ed.), Trans Tech Publications, Uetikon, Swiss, 2006, and Materials Science Forum 503-504 (2006), 781-786, <http://dx.doi.org/10.4028/www.scientific.net/MSF.503-504.781>

4/2006, H. Mughrabi, Implications of linear relationships between local and macroscopic flow stresses in the composite model. In: *Int. J. Mat. Res. (formerly Z. Metallkd.)* 97 (2006), 594-596

5/2006, H. Mughrabi, H.W. Höppel, M. Kautz, Microstructural mechanisms governing the fatigue performance of ultrafine-grained metals and alloys. In: *Ultrafine-Grained Metals IV*, Y.T. Zhu, T.G. Langdon, Z. Horita, M.J. Zehetbauer, S.L. Semiatin and T.C. Lowe (eds.), TMS, 2006, pp. 47-54

6/2006, H. Mughrabi, Specific features and mechanisms of fatigue in the ultrahigh-cycle regime. In: *Int. J. Fatigue* 28(2006),1501-1508, <http://dx.doi.org/10.1016/j.ijfatigue.2005.05.018>

7/2006, H. Mughrabi, Fatigue mechanisms in the ultrahigh cycle regime. In: CD-ROM of Proceedings of Fatigue 2006, 9th International Fatigue Congress, Atlanta, May 2006, Reference FT 193, Elsevier Ltd., 2006

8/2006, H.W. Höppel, M. Kautz, H. Mughrabi, Microstructural fatigue mechanisms of ultrafine-grained metals. In: CD-ROM of Proceedings of Fatigue 2006, 9th International Fatigue Congress, Atlanta, May 2006, Reference FT 207, Elsevier Ltd., 2006

9/2006, H.W. Höppel, F. Neuner, R. Nützel, Fretting fatigue behaviour and damage mechanisms of plain carbon steels. In: CD-ROM of Proceedings of Fatigue 2006, 9th International Fatigue Congress, Atlanta, May 2006, Reference FT 213, Elsevier Ltd., 2006

10/2006, H. Mughrabi, H.W. Höppel, M. Kautz, Microstructural aspects of cyclic deformation and fatigue of ultrafine-grained metals. In: *Nanostructured Materials by High-Pressure Severe Plastic Deformation*, Y.T. Zhu and V. Varyukhin (eds.), Springer (2006), 209-216

11/2006, H.W. Höppel, M. Kautz, C. Xu, M. Murashkin, T.G. Langdon, R.Z. Valiev, H. Mughrabi, An overview: Fatigue behaviour of ultrafine-grained metals and alloys. In: *Int. J. Fatigue* 28 (2006) 1001-1010, <http://dx.doi.org/10.1016/j.ijfatigue.2005.08.014>

12/2006, S. Stanzl-Tschegg, H. Mughrabi H., R. Schuller, Does copper undergo surface roughening during fatigue in the VHCF regime?. In: *Fracture of Nano- and Engineering Materials and Structures, Proceedings of 16th European Conference of Fracture*

- 13/2006, H. Mughrabi, Deformation-induced long-range internal stresses and lattice plane misorientations and the role of geometrically necessary dislocations. In: *Phil. Mag. A* 86 (2006), 4037-4054, <http://dx.doi.org/10.1080/14786430500509054>
- 14/2006, H. Mughrabi, T. Ungár, X-ray diffraction: Close-up on crystal plasticity (News & Views). In: *nature materials* 51 (2006), 601-602
- 15/2006, K.W. Schwarz, H. Mughrabi, Interactions and passing stress of two threading dislocations of opposite sign in a confined channel. In: *Phil. Mag. Letters* 86 (2006), 773-785, <http://dx.doi.org/10.1080/09500830601026467>
- 16/2006, B. Backes, K. Durst, M. Göken, Determination of plastic properties of polycrystalline metallic materials by nanoindentation: experiments and finite element simulations. In: *Phil. Mag. A* 86 (2006), 5541-5551, <http://dx.doi.org/10.1080/14786430600735468>
- 17/2006, H. Mughrabi, Dual role of deformation-induced geometrically necessary dislocations with respect to lattice plane misorientations and/or long-range internal stresses. In: *Acta mater.* 54 (2006), 3417-3427, <http://dx.doi.org/10.1016/j.actamat.2006.03.047>
- 18/2006, H. Chilukuru, K. Durst, M. Göken, W. Blum, On the roles of M₂X and Z-phase in tempered martensitic 9-12% Cr steels. In: *Materials for Advanced Power Engineering, Proceedings of the 8th Liege Conference*, J. Lecomte-Beckers, M. Carton, F. Schubert, P. J. Ennis (Editors), Part III, (2006), 1241-1249
- 19/2006, T. Seibert, K. Durst, H. Chilukuru, M. Göken, Quantitative microstructural analysis on the stability of MX and M₂X in 9-12% Cr steels by AFM, SEM and TEM. In: *Materials for Advanced Power Engineering, Proceedings of the 8th Liege Conference*, J. Lecomte-Beckers, M. Carton, F. Schubert, P. J. Ennis (Editors), Part III, (2006), 1181-1190
- 20/2006, M. Dinkel, F. Pyczak, M. Goeken, P. Heinz, A. Volek, R. F. Singer, M. Ott, E. Affeldt, A. Vossberg, Nanoindentation and Orientation Measurements in Single Crystalline Brazing Joints of Nickelbase Superalloys. In: *Materials for Advanced Power Engineering, Proceedings of the 8th Liege Conference*, J. Lecomte-Beckers, M. Carton, F. Schubert, P. J. Ennis (Editors), Part II, (2006), 633-642
- 21/2006, Y. Wang, A. Scholz, C. Berger, K. H. Mayer, H. Chilukuru, K. Durst, W. Blum, Development of super heat resistant ferritic steels for environmental-friendly fossile-fired steam power plants with operating steam temperatures up to 650°C. In: *Vortragsreihe VDEH*, 2006, Düsseldorf
- 22/2006, J. Mueller, K. Durst, D. Amberger, M. Göken, Local investigations of the mechanical properties of ultrafine grained metals by nanoindentations. In: *Materials Science Forum Vols.* 503-504 (2006), 31-36, <http://dx.doi.org/10.4028/www.scientific.net/MSF.503-504.31>
- 23/2006, R. Agamennone, W. Blum, C. Gupta, J. K. Chakravarty, Evolution of microstructure and deformation resistance in creep of tempered martensitic 9-12%Cr-2%W-5%Co steels. In: *Acta Mater.* 54 (2006), 3003-3014, <http://dx.doi.org/10.1016/j.actamat.2006.02.038>
- 24/2006, W. Blum, Y. J. Li, J. Chen, X. H. Zheng, K. Lu, On the Hall-Petch relation between flow stress and grain size. In: *Int. J. Mat. Res.* 97 (2006), 12
- 25/2006, C.-S. Han, A. Hartmaier, H. Gao, Y. Huang, Discrete dislocation dynamics simulation of surface induced size effects in plasticity. In: *Materials Science and Engineering A* 415 (2006), 225-233, <http://dx.doi.org/10.1016/j.msea.2005.09.075>
- 26/2006, N.C. Brödling, A. Hartmaier, and H. Gao, A combined dislocation-cohesive zone model for fracture in a confined ductile layer. In: *International Journal of Fracture* 140 (2006), 169-181, <http://dx.doi.org/10.1007/s10704-005-6025-x>

27/2006, I. Topic, H.G. Sockel, P. Wellmann, M. Göken, The influence of the microstructure on the magnetic properties of WC/Co hardmetals. In: *Materials Science and Engineering A* 423 (2006), 306-312, <http://dx.doi.org/10.1016/j.msea.2006.02.018>

2007

1/2007, I. Topic, H.W. Höppel, M. Göken, Deformation behaviour, microstructure and processing of accumulative roll bonded aluminium alloy AA6016. In: *Int. J. Mat. Res.* 98 (2007) 320-324

2/2007, P. Wellmann, P. Hens, S.A. Sakwe, D. Queren, R. Müller, K. Durst, M. Göken, Impact of n-type versus p-type doping on mechanical properties and dislocation evolution during SiC crystal growth. In: *Mater.Sci.Forum* 556-557, (2007) 259-262, <http://dx.doi.org/10.4028/www.scientific.net/MSF.556-557.259>

3/2007, S. Ndlovu, K. Durst, M. Göken, Investigation of the wear properties of WC-Co hard metals using nanoscratch testing. In: *Wear* 263, (2007) 1602 - 1609, <http://dx.doi.org/10.1016/j.wear.2006.11.044>

5/2007, O. Franke, K. Durst, V. Maier, M. Göken, T. Birkenholz, K. Gelse, Nanomechanical properties of hyaline and repair cartilage. In: *Acta Biomaterialia* 3, (2007) 873-881, <http://dx.doi.org/10.1016/j.actbio.2007.04.005>

6/2007, J. May, M. Dinkel, D. Amberger, H. W. Höppel, M. Göken, Mechanical Properties, Dislocation Density and Grain Structure of Ultrafine – Grained Aluminum and Aluminum – Magnesium Alloys. In: *Metall. Mater. Trans. A* 38, (2007) 1941-1945, <http://dx.doi.org/10.1007/s11661-007-9110-0>

7/2007, K. Durst, B. Backes, M. Göken, Strain gradient plasticity modeling of size effects in plasticity, in *Nonlocal Modeling of Materials Failure*. In: NMMF 2007, Ed.: H. Yuan, F.H. Wittmann, ISBN 978-3-931681-87-6, Aedificatio publishers, Freiburg, Proceedings of an international workshop, (2007) 83-90

8/2007, S. Gemming, R. Janisch, M. Schreiber, N. A. Spaldin, Density-functional investigation of the (113)[-110] twin grain boundary in Co-doped anatase TiO₂ and its influence on magnetism in dilute magnetic semiconductors. In: *Phys. Rev. B* 76, (2007) 045204, <http://dx.doi.org/10.1103/PhysRevB.76.045204>

9/2007, D. Dzivenko, A. Zerr, E. Schweitzer, M. Göken, R. Boehler, R. Riede, Elastic moduli and hardness of c-Zr₂86(N 0.88 O 0.12) having Th₃P₄-type structure. In: *Appl. Physics Lett.* 90, (2007) 191910, <http://dx.doi.org/10.1063/1.2738373>

10/2007, Y.J. Li, J. Mueller, H. W. Höppel, M. Göken, W. Blum, Deformation kinetics of nanocrystalline nickel produced by pulsed electrodeposition. In: *Acta Mater* 55, (2007) 5708-5717, <http://dx.doi.org/10.1016/j.actamat.2007.06.036>

11/2007, H.W. Höppel, L. Saitova, H.-J. Grieb, M. Göken, Surface roughening and fatigue behaviour of pure aluminium with various grain size in the VHCF regime. In: *Proc. of 4th Int. Conf. on Very High Cycle Fatigue, VHCF-4*, J.E. Allison, J.W. Jones, J.M. Larsen, R.O. Ritchie (eds.), TMS, Warrendale, USA, 2007, pp. 59-66

12/2007, P. Hübner, R. Kiessling, H. Biermann, T. Hinkel, W. Jungnickel, R. Kawalla, H.W. Höppel, J. May, Static and cyclic crack growth behavior of ultrafine-grained Al produced by different severe plastic deformation methods. In: *Metall. Mater. Trans A38*, (2007) 1926-1933, <http://dx.doi.org/10.1007/s11661-007-9297-0>

13/2007, R.Z. Valiev, M.J. Zehetbauer, Y. Estrin, H.W. Höppel, Y. Ivanisenko, H. Hahn, G. Wilde, H.J. Roven, X. Sauvage, T.G. Langdon, The innovation potential of bulk nanostructured materials. In: *Adv. Eng. Mater.* 9, (2007) 527-533, <http://dx.doi.org/10.1002/adem.200700078>

14/2007, W. Blum, Y.J. Li, Flow stress and creep rate of nanocrystalline Ni. In: *Scripta Mat.* 57, (2007) 429-431, <http://dx.doi.org/10.1016/j.scriptamat.2007.04.041>

15/2007, W. Blum, Y.J. Li, F. Breutinger, Deformation kinetics of coarse-grained and ultrafine-grained commercially pure Ti. In: *Mat. Sci. Eng. A* 462, (2007) 275-278, <http://dx.doi.org/10.1016/j.msea.2006.05.171>

16/2007, M. Tanaka, Y. Hoshino, A. Hartmaier, K. Higashida, Crack tip dislocations and its shielding effect. In: Materials Science Forum Vols. 561-565 (2007) 1833-1836, <http://dx.doi.org/10.4028/www.scientific.net/MSF.561-565.1833>

17/2007, E. W. Schweitzer, M. Göken, In situ bulge testing in an atomic force microscope: Microdeformation experiments of thin film membranes. In: J. Mater. Res. 22, (2007) 2902 - 2911, <http://dx.doi.org/10.1557/JMR.2007.0373>

18/2007, K. Durst, O. Franke, A. Böhner, M. Göken, Indentation size effect in NiFe solid solutions. In: Acta Mater. 55 (2007) 6825 – 6833, <http://dx.doi.org/10.1016/j.actamat.2007.08.044>

19/2007, O. Franke, K. Durst, M. Göken, Microstructure and local mechanical properties of Pt modified Nickelaluminides on nickel-base superalloys after thermo-mechanical fatigue. In: Mat. Sci. Eng. A 467 (2007), 15-23, <http://dx.doi.org/10.1016/j.msea.2007.02.069>

20/2007, H.W. Höppel, Reibermüdung: Einflussgrößen, Schädigungsmechanismen und Designkriterien. In: Werkstoffprüfung 2007, M. Pohl (ed.), Wiley-VCH, 2007, pp. 35-44

21/2007, L. Saitova, H.-J. Grieb, H.W. Höppel, M. Göken, Oberflächenaufrauung und Ermüdungsverhalten von Aluminium mit unterschiedlichen Korngrößen im VHCF-Bereich. In: Werkstoffprüfung 2007, M. Pohl (ed.), Wiley-VCH, 2007, pp.407-414

22/2007, J. A. El-Awady, N. M. Ghoniem, and H. Mughrabi, Dislocation modeling of localized plasticity in persistent slip bands. In: Proc. of the 136th TMS Annual Meeting and Exhibition, Materials Processing and Manufacturing Division, Orlando, Florida, Symposium: Mechanics and Materials Modeling and Materials Design Methodologies, in the Honor of Dr. Craig Hartley's 40 years of Contributions to the Field of Mechanics and Materials Science, edited by B. L. Adams and A. Garmestani, 2007, pp. 23-35

23/2007, S. Stanzl-Tschegg, H. Mughrabi, B. Schoenbauer, Life time and cyclic slip of copper in the VHCF regime. In: Int. J. Fatigue 29 (2007) 2050-2059, <http://dx.doi.org/10.1016/j.ijfatigue.2007.03.010>

24/2007, H. Mughrabi, S. Stanzl-Tschegg, Fatigue Damage Evolution in Ductile Single-Phase Face-Centred Cubic Metals in the UHCF-Regime. In: Proceedings of Fourth International Conference on Very High Cycle Fatigue (VHCF-4), edited by J. E. Allison, J. W. Jones, J. M. Larsen and R. O. Ritchie, TMS (The Minerals, Metals & Materials Society), 2007, pp. 75-82

25/2007, H.J. Maier, G. Biallas, G. Eggeler, J. Estrin, R.J. Hellmig, M. Göen, H.W. Höppel, G. Gottstein, M. Winning, Symposium on ultrafine-grained materials: From basics to applications. In: Metal. Mater. Trans. A 38A (2007), 1881

2008

1/2008, M. Prell, C. Xu, T.G. Langdon, The evolution of homogeneity on longitudinal sections during processing by ECAP. In: Mat. Sci. Eng. A 480 (2008), 449-455, <http://dx.doi.org/10.1016/j.msea.2007.08.011>

2/2008, Y.J. Li, R. Kapoor, J. T. Wang, W. Blum, Structural stability of ultrafine-grained copper. In: Scripta Mater. 58 (2008) 53-56, <http://dx.doi.org/10.1016/j.scriptamat.2007.08.033>

3/2008, R. Nützel, E.E. Affeldt, M. Göken, Damage Evolution during thermo-mechanical fatigue of a coated monocrystalline nickel-base superalloy. In: International Journal of Fatigue 30 (2008), 313-317, <http://dx.doi.org/10.1016/j.ijfatigue.2007.01.045>

4/2008, N.C. Brödling, A. Hartmaier, M.J. Buehler, and H. Gao, The Strength Limit in a Bio-inspired Metallic Nanocomposite. In: Journal of the Mechanics and Physics of Solids 53 (2008), 1086-1104, <http://dx.doi.org/10.1016/j.jmps.2007.06.006>

5/2008, K. Gelse, O. Franke, J. Park, C. Mühle, M. Jehle, K. Durst, M. Göken, F. Hennig, K. v. d. Mark, H. Schneider, Cell-based resurfacing of large cartilage defects: long-term evaluation of grafts from autologous transgene-activated periosteal cells. In: Arthritis & Rheumatism 58 (2008), 475–488, <http://dx.doi.org/10.1002/art.23124>

6/2008, R. Janisch, C. Elsässer, Growth and mechanical properties of a MoC precipitate at a Mo grain boundary 23.10.2012: An ab

initio density functional study. In: Phys. Rev. B 77 (2008), 094118, <http://dx.doi.org/10.1103/PhysRevB.77.094118>

7/2008, K. Durst, M. Göken, G.M. Pharr, Indentation size effect in spherical and conical indentation. In: J. Phys. D: Appl. Phys. 41 (2008), 074005, <http://dx.doi.org/10.1088/0022-3727/41/7/074005>

8/2008, H. W. Höppel, J. May, M. Göken, Cyclic deformation behaviour and fatigue life of ultrafine-grained metals. In: Proc. of 137th Annual Meeting of TMS, Hael Mughrabi Honorary Symposium, KJ. Hsia, M. Göken, T. Pollock, P. Portella, NR. Moody (eds.), New Orleans, 2008, pp. 149-154

9/2008, M. Cabibbo, W. Blum, E. Evangelista, M.E. Kassner, M.A. Meyers, Transmission electron microscopy study of strain-induced low- and high-angle boundary development in equal-channel angular-pressed commercially pure aluminum. In: Metall. Mater. Trans. A 39 (2008), 181-189, <http://dx.doi.org/10.1007/s11661-007-9350-z>

10/2008, X.H. Zeng, P. Eisenlohr, W. Blum, Modelling the transition from strengthening to softening due to grain boundaries. In: Mater. Sci. Eng. A 483-484, (2008) 95 – 98, <http://dx.doi.org/10.1016/j.msea.2006.09.130>

11/2008, H. Mughrabi, F. Pschenitzka, Stresses to bow edge dislocation segments out of di-multipolar edge dislocation bundles. In: Proceedings of 14th International Conference on the Strength of Materials (ICSMA 14), Mater. Sci. Eng. A, 483-484 (2008), 469 – 473, <http://dx.doi.org/10.1016/j.msea.2006.09.185>

12/2008, Y.J. Li, X.H. Zeng, W. Blum, On the elevated-temperature deformation behaviour of polycrystalline Cu subjected to predeformation by multiple compression. In: Mater. Sci. Eng. A 483-484 (2008), 547-550, <http://dx.doi.org/10.1016/j.msea.2006.09.133>

13/2008, W. Blum, Mechanisms of creep in steel. In: F. Abe, T.-U. Kern, R. Viswanathan (eds.), Creep resistant steels, 365-402, Woodhead Publishing, Cambridge, 2008

14/2008, A. Vevecka-Priftaj, A. Böhner, J. May, H.W. Höppel, M. Göken, Strain rate sensitivity of ultrafine grained aluminium alloy AA6061. In: Mater. Sci. Forum 584-586 (2008) 741-747

15/2008, L.Saitova, H. W. Höppel, M. Göken, I. Semenova, A. Kilmametov, R. Valiev, Cycling of ultrafine-grained Ti-6Al-4V ELI alloy: microstructural changes and enhanced fatigue limit. In: Mater. Sci. Forum 584-586 (2008) 827-832

16/2008, I. Topic, H.W. Höppel, M. Göken, Deformation Behaviour of Accumulative Roll Bonded and Friction Stir Welded Aluminium Alloys. In: Mater. Sci. Forum 584 – 586 (2008), 833 – 839

17/2008, H.W. Höppel, J. May M. Göken, Cyclic deformation behaviour and fatigue lives of ultrafine-grained aluminium-magnesium alloys. In: Mat. Sci. Forum 584-586 (2008) 840-845

18/2008, W. Srotzky, I. Hünsche, J. Hüttenrauch, C.-G. Oertel, H.-G. Brokmeier, H. W. Höppel, I. Topic, Texture and Mechanical Anisotropy of Ultrafine-Grained Aluminum Alloy AA6016 Produced by Accumulative Roll Bonding. In: Texture, Stress and Microstructure 2008 (2008), 328754, <http://dx.doi.org/10.1155/2008/328754>

19/2008, H. W. Rockenschaub, R. Gschwandtner, A. Holzinger, I. Topic, J. Mikota, Charakterisierung der Kolbengusslegierung AlSi12CuNiMg. In: Giesserei – Praxis 1 - 2 (2008), 13- 25

20/2008, O.Franke, M. Göken, A. M. Hodge, The Nanoindentation of Soft Tissue: Current and Developing Approaches. In: JOM, 6 (2008), 49-53

21/2008, L.Saitova, I. Semenova, H. W. Höppel, R. Valiev, M. Göken, Enhanced superplastic deformation behavior of ultrafine-grained Ti-6Al-4V alloy. In: Materialwissenschaft und Werkstofftechnik 39 (4-5) (2008), 367-370, <http://dx.doi.org/10.1002/mawe.200800308>

- 22/2008, E.D. Tabachnikova, A.V. Podolskiy, V.Z. Bengus, S.N. Smirnov, K. Csach, J. Miškuf, L.R. Saitova, I.P. Semenova, R.Z. Valiev, Microstructural features of failure surfaces and low-temperature mechanical properties of Ti-6Al-4V ELI ultra-fine grained alloy. In: *Strength of Materials 40* (2008), 71-74
- 23/2008, S.L. Demakov, O.A. Elkina, A.G. Illarionov, M.S. Karabanov, A.A. Popov, I.P. Semenova, L.R. Saitova, N.V. Shchetnikov, Effect of rolling-assisted deformation on the formation of an ultrafine-grained structure in a two-phase titanium alloy subjected to severe plastic deformation. In: *The Physics and Metallography*, 105 (2008), 602-609 English trans, <http://dx.doi.org/10.1134/S0031918X08060112>
- 24/2008, E.D. Tabachnikova, A.V. Podolskiy, V.Z. Bengus, S.N. Smirnov, K. Csach, J. Miškuf, L.R. Saitova, I.P. Semenova, R.Z. Valiev, Microstructure features of failure and mechanical properties of ultra-fine grained Ti-6Al-4V ELI alloy at 300-77 K. In: *International Journal of Mechanics and Materials in Design 4* (2008), 189-195, <http://dx.doi.org/10.1007/s10999-007-9036-0>
- 25/2008, P. Eisenlohr, P. Sadrabadi, and W. Blum, Quantifying the distributions of dislocation spacings and cell sizes. In: *J. Mater. Sci.*, 43, 2700-2707 (2008), <http://dx.doi.org/10.1007/s10853-008-2467-7>
- 26/2008, M. Hüller, J. Vlcek, M. Dinkel, H.W. Höppel, M. Göken, Hardening and thermal stability of nanocrystalline AlMg4.8 powder. In: *Phil. Mag. A 88* (2008) 1209-1226, <http://dx.doi.org/10.1080/14786430802089854>
- 27/2008, L.Saitova, H. W. Höppel, M. Göken, Influence of grain size on fatigue properties of Ti-6Al-4V ELI alloy. In: *Proceedings of the 6th International Conference on Low Cycle Fatigue*, Berlin, Germany, 2008, 319-324
- 28/2008, H.W. Höppel, J. May, M. Göken, Fatigue behaviour of UFG Al: influence of the ECAP route and the magnesium alloying content. In: *Proceedings of the 6th International Conference on Low Cycle Fatigue*, Berlin, Germany, 2008, 325-330
- 29/2008, R. Nützel, E.E. Affeldt, M. Göken, Influence of a beta-NiAl coating on monocrystalline nickel-base alloys on the thermo-mechanical fatigue life. In: *6th International Conference on Low Cycle Fatigue - LCF 6*, Deutscher Verband für Materialforschung und -prüfung, Berlin, 2008, 449-454
- 30/2008, I. Topic, H.W. Höppel, D. Staud, M. Merklein, M. Geiger, M. Göken, Formability of accumulative roll bonded aluminum AA1050 and AA6016 investigated using bulge tests. In: *Adv. Eng. Mat.*, 10 (12) (2008), 1101-1109, <http://dx.doi.org/10.1002/adem.200800167>
- 31/2008, J. May, D. Amberger, M. Dinkel, H.W. Höppel, M. Göken, Monotonic and cyclic deformation behaviour of ultrafine-grained aluminium. In: *Materials Science and Engineering A*, 483-484, 2008, 481-484, <http://dx.doi.org/10.1016/j.msea.2006.12.177>
- 32/2008, H. Mughrabi, H.W. Höppel, Assessment of fatigue damage in heterogeneous materials by application of a novel compliance technique. In: "Multiscale Fatigue Crack Initiation and Propagation of Engineering Materials: Structural Integrity and Microstructural Worthiness", edited by G.C. Sih, Springer Science + Business Media B.V., 2008, 327-343
- 33/2008, A. Weidner, D. Amberger, F. Pyczak, B. Schönbauer, S. Stanzl-Tschegg and H. Mughrabi, Fatigue damage in copper polycrystals subjected to ultrahigh-cycle fatigue below the PSB threshold. In: *Proc. of 17th European Conf. on Fracture (ECF 17)*, CD: ISBN: 978-80-214-3692-3, 2008
- 34/2008, S. Ndlovou, K. Durst, H.W. Höppel, M. Göken, Study on the local damage mechanisms in WC-Co hard metals during scratch testing. In: *Materials Research Society Symposium Proceedings 1049*, (2008), 75-81
- 35/2008, I. Topic, H. W. Höppel, M. Göken, Influence of rolling direction on strength and ductility of aluminium and aluminium alloys produced by accumulative roll bonding. In: *J. Mater. Sci* 43 (23-24) (2008), 7320-7325, <http://dx.doi.org/10.1007/s10853-008-2754-3>
- 36/2008, M. Dinkel, F. Pyczak, J. May, H.W. Höppel, M. Göken, XRD profile analysis characterization of ultrafine-grained Al-Mg

alloys. In: *Journal of Materials Science* 43 (23-24) (2008), 7481-7487, <http://dx.doi.org/10.1007/s10853-008-2859-8>

37/2008, S. Neumeier, F. Pyczak, M. Göken, The influence of ruthenium and rhenium on the local properties of the gamma- and gamma'-phase in nickel-base superalloys and their consequences for alloy behaviour. In: *Proceedings of the International Symposium on Superalloys 2009*, 109-119

38/2008, M.K. Dinkel, P. Heinz, F. Pyczak, A. Volek, M. Ott, E. Affelt, A. Vossberg, M. Göken, R.F. Singer, New boron and silicon free single crystal-diffusion brazing alloys. In: *Proceedings of the International Symposium on Superalloys 2009*, 211-220

2009

1/2009, L.R. Saitova, H.W. Höppel, M. Göken, I.P. Semenova, G.I. Raab, R.Z. Valiev, Fatigue behaviour of ultrafine-grained Ti-6Al-4V 'ELI' alloy for medical applications. In: *Mater. Sci. Eng. A* 503 (2009), 145-147, <http://dx.doi.org/10.1016/j.msea.2008.04.082>

2/2009, I. Topic, H.W. Höppel, M. Göken, Friction stir welding of accumulative roll-bonded commercial-purity aluminium AA1050 and aluminium alloy AA6016. In: *Mater. Sci. Eng. A* 503 (2009), 163-166, <http://dx.doi.org/10.1016/j.msea.2007.12.057>

3/2009, W. Blum, Role of boundaries in control of deformation rate and strength of crystalline materials. In: *Mater. Sci. For.* 604-605 (2009), 391-401, <http://dx.doi.org/10.4028/www.scientific.net/MSF.604-605.391>

4/2009, J. Schaufler, K. Durst, O. Massler, M. Göken, In-situ investigation on the deformation and damage behaviour of diamond-like carbon coated thin films under uniaxial loading. In: *Thin Solid Films* 517 (2009), 1681-1685, <http://dx.doi.org/10.1016/j.tsf.2008.09.104>

5/2009, B. Backes, K. Durst, D. Amberger, M. Göken, Particle hardening in creep-resistant Mg-Alloy MRI 230D probed by nanoindenting atomic force microscopy. In: *Metal. Mater. Trans. A40* (2009), 257-261, <http://dx.doi.org/10.1007/s11661-008-9720-1>

6/2009, L.R. Saitova, H.W. Höppel, M. Göken, I.P. Semenova, R.Z. Valiev, Cyclic deformation behaviour and fatigue lives of ultrafine-grained Ti-6Al-4V ELI alloy for medical use. In: *Int. J. Fatigue* 31 (2009), 322-331, <http://dx.doi.org/10.1016/j.ijfatigue.2008.08.007>

7/2009, A. Böhner, R. Janisch, A. Hartmaier, Ab initio investigation of diamond coatings on steel. In: *Scripta Mater.* 60 (2009), 504-507, <http://dx.doi.org/10.1016/j.scriptamat.2008.11.042>

8/2009, H.W. Höppel, H. Mughrabi, A. Vinogradov, Fatigue properties of bulk nanostructured materials. In: "Bulk Nanostructured Materials", Chapter 22, edited by M.J. Zehetbauer and Y.T. Zhu, WILEY-VCH Verlag GmbH & Co. KGaA, Weinheim, 2009, pp. 481-500

9/2009, W. Blum, P. Eisenlohr, V. Sklenivcka, Creep of bulk nanostructured materials. In: "Bulk Nanostructured Materials", Chapter 22, edited by M.J. Zehetbauer and Y.T. Zhu, Wiley-VCH Verlag GmbH & Co. KGaA, Weinheim, 2009, pp. 519-537

10/2009, H. Mughrabi, Microstructural aspects of high-temperature deformation of monocrystalline nickel-base superalloys: some open problems. In: *Proc. of the Malcom McLean Memorial Symposium*, edited by R.Reed and P. Lee, Special Issue of *Mater. Sci. Technol.* 25 (2009), 191-204, <http://dx.doi.org/10.1179/174328408X361436>

11/2009, O. Franke, K. Durst, M. Göken, Nanoindentation investigations to study solid solution hardening in Ni-based diffusion couples. In: , <http://dx.doi.org/10.1557/JMR.2009.0135>

12/2009, B. Backes, Y.Y. Huang, M. Göken, K. Durst, The correlation between the internal material length scale and the microstructure in nanoindentation experiments and simulations using the conventional mechanism-based strain gradient plasticity theory. In: *J Mater. Res.* 24 (2009), 1197-1207, <http://dx.doi.org/10.1557/JMR.2009.0123>

- 13/2009, D. Kiener, K. Durst, M. Rester, A. Minor, Revealing deformation mechanism with nanoindentation. In: JOM 61 (2009), 14-23
- 14/2009, P. Sadrabadi, K. Durst, M. Göken, Study on the indentation size effect in CaF₂: Dislocation structure and hardness. In: Acta Mater. 57 (2009) 1281-1289, <http://dx.doi.org/10.1016/j.actamat.2008.11.015>
- 15/2009, W. Blum, X. H. Zeng, A simple dislocation model of deformation resistance of ultrafine-grained materials explaining Hall-Petch strengthening and enhanced strain rate sensitivity. In: Acta Mater. 57 (2009), 1966-1974, <http://dx.doi.org/10.1016/j.actamat.2008.12.041>
- 16/2009, R. Rettig, A. Heckel, S. Neumeier, F. Pyczak, M. Göken, R.F. Singer, Verification of a commercial CALPHAD database for Re and Ru containing nickel-base superalloys. In: Defect and Diffusion Forum 289-292 (2009), 101-108, <http://dx.doi.org/10.4028/www.scientific.net/DDF.289-292>
- 17/2009, H. Mughrabi, Mechanisms of Fatigue Damage at Very High Numbers of Cycles Below the Classical Fatigue Limit. In: Festschrift of Ruhr-Universität Bochum on the occasion of Award of Honorary Doctoral Degree, Ruhr-Universität Bochum, 2009, pp. 36-56
- 18/2009, W. Blum, P. Eisenlohr, Dislocation mechanics of creep. In: Mater. Sci. Eng. A 510-511 (2009), 7-13, <http://dx.doi.org/10.1016/j.msea.2008.04.110>
- 19/2009, P. Kumar, M.E. Kassner, W. Blum, P. Eisenlohr, T.G. Langdon, New Observations on high temperature creep at very low stresses. In: Mater. Sci. Eng. A 510-511, (2009), 20-24, <http://dx.doi.org/10.1016/j.msea.2008.04.094>
- 20/2009, P. Sadrabadi, P. Eisenlohr, G. Wehrhan, J. Stäblein, L. Parthier, W. Blum, Evolution of dislocation structure and deformation resistance in creep exemplified an single crystals of CaF₂. In: Mater. Sci. Eng. A 510-511 (2009), 46-50, <http://dx.doi.org/10.1016/j.msea.2008.04.086>
- 21/2009, H. Chilukuru, K. Durst, S. Wadekar, M. Schwienheer, A. Scholz, C. Berger, K.H. Mayer, W. Blum, Coarsening of precipitates and degradation of creep resistance in tempered martensite steels. In: Mater. Sci. Eng. A 510-511 (2009), 81-87, <http://dx.doi.org/10.1016/j.msea.2008.04.088>
- 22/2009, Y. Wang, K.H. Mayer, A. Scholz, C. Berger, H. Chilukuru, K. Durst, W. Blum, Development of new 11%Cr heat resistant ferritic steels with enhanced creep resistance for steam power plants with operating steam temperatures up to 650°C. In: Mater. Sci. Eng. A 510-511 (2009), 180-184, <http://dx.doi.org/10.1016/j.msea.2008.04.116>
- 23/2009, F. Pyczak, S. Neumeier, M. Göken, Influence of lattice misfit on the internal stress and strain states before and after creep investigated in nickel-base superalloys containing rhenium and ruthenium. In: Mater. Sci. Eng. A 510-511 (2009), 295-300, <http://dx.doi.org/10.1016/j.msea.2008.08.052>
- 24/2009, P. Eisenlohr, W. Blum, K. Milicka, Dislocation glide velocity in creep of Mg alloys derived from dip tests. In: Mater. Sc. Eng. A 510-511 (2009), 393-397, <http://dx.doi.org/10.1016/j.msea.2008.04.120>
- 25/2009, D. Amberger, P. Eisenlohr, M. Göken, Microstructural evolution during creep of Ca-containing AZ91. In: Mater. Sci. Eng. A 510-511 (2009), 398-402, <http://dx.doi.org/10.1016/j.msea.2008.04.115>
- 26/2009, F. Ahmed, K. Durst, S. Rosiwal, J. Fandray, J. Schaufler, M. Göken, In-situ tensile testing of crystalline diamond coatings using Raman spectroscopy. In: Surface and Coating Technology 204 (2009), 1022-1025, <http://dx.doi.org/10.1016/j.surfcoat.2009.04.030>
- 27/2009, S. Gebhard, F. Pyczak, M. Göken, Microstructural and micromechanical characterization of TiAl alloys using atomic force microscopy and nanoindentation. In: Mater. Sci. Eng. A 523 (2009), 235-241, <http://dx.doi.org/10.1016/j.msea.2009.05.068>

- 28/2009, J. Das, S. Pauly, M. Boström, K. Durst, M. Göken, J. Eckert, Designing bulk metallic glass and glass matrix composites in martensitic alloys. In: *J Alloys Comp.* 483 (2009), 97-101, <http://dx.doi.org/10.1016/j.jallcom.2008.08.139>
- 29/2009, H. Mughrabi, Cyclic slip irreversibilities and the evolution of fatigue damage. In: *Metal. Mater. Trans. B: Process Metallurgy and Materials Process Science* 40 (2009), 431-453 and *Metal. Mater. Trans. A: Process Metallurgy and Materials Process Science* 40 (2009), 1257-1279, <http://dx.doi.org/10.1007/s11661-009-9839-8>
- 30/2009, S. Reichstein, S. Kraft, H. Mughrabi, Sequence of distinct microyielding stages of monocrystalline nickel-base superalloy CMSX-6 at high temperatures. In: *Int. J Mater. Res.* 100 (2009), 494-499, [http://dx.doi.org/Int. J Mater. Res. 100 \(2009\), 494-499](http://dx.doi.org/Int. J Mater. Res. 100 (2009), 494-499)
- 31/2009, P. Armstrong, C. Knieke, M. Mackovic, G. Frank, A. Hartmaier, M. Göken, W. Peukert, Microstructural evolution during deformation of tin dioxide nanoparticles in a comminution process. In: *Acta Mater.* 57 (2009), 3060-3071, <http://dx.doi.org/10.1016/j.actamat.2009.02.049>
- 32/2009, W. Blum, Y. Li, K. Durst, Stability of ultrafine-grained Cu to subgrain coarsening and recrystallization in annealing and deformation at elevated temperatures. In: *Acta Mater.* 57 (2009), 5207-5217, <http://dx.doi.org/10.1016/j.actamat.2009.07.030>
- 33/2009, P. Sadrabadi, K. Durst, M. Göken, W. Blum, Quantification of dislocation structures at high resolution by atomic force microscopy of dislocation etch pits. In: *Phil. Mag. Letters* 89 (2009), 391-398, <http://dx.doi.org/10.1080/09500830902984554>
- 34/2009, A. Vevecka-Priftaj, H.W. Höppel, M. Göken, Deformation behaviour of nanocrystalline Al alloy, processed by severe plastic deformation. In: *Conference Proceedings of the 7th International Conference of the Balkan Physical Union, Alexandroupolis, AIP Conference Proceedings* 1203 (2009) 151-155
- 35/2009, R. Nolte, H.W. Höppel, M. Göken, Großkammer-Rasterelektronenmikroskopie – Neue Dimensionen der Materialforschung und Schadensanalyse. In: *Tagung Werkstoffprüfung „Fortschritte der Kennwertermittlung für Forschung und Praxis“*, edited by: M. Borsutzki, S. Geisler, Verlag Stahleisen GmbH, Düsseldorf, 2009, pp.195-202
- 36/2009, W. Blum, H. Chilukuru, Tertiary creep of tempered martensite 9-12% Cr-steels – On the microstructural origin of creep life limitation. In: *"Pressure vessels and piping, Volume II, materials and properties"*, <http://dx.doi.org/> edited by: B. Raj, B.K. Choudhary, A. Kumar, Narosa Publishing House, New Dehli, 2009, 125-136"
- 37/2009, D. Amberger, P. Eisenlohr, M. Göken, Influence of the microstructure on creep strength of MRI 230D magnesium alloy. In: *Proceedings of the 8th International Conference on Magnesium Alloy and their Applications, Weimar*, edited by K.U. Kainer, Wiley-VCH, Weinheim, 2009, pp. 1255-1259

2010

- 1/2010, W. Skrotzki, J. Scharnweber, C.-G. Oertel, H.W. Höppel, I. Topic, H.-G. Brokmeier, J. Jaschinski, Plastic anisotropy of ultrafine grained Al alloy AA6016 produced by accumulative roll bonding. In: *Solid State Phenomena* 160 (2010), 171-176, <http://dx.doi.org/10.4028/www.scientific.net/SSP.160.171>
- 2/2010, Z. Negahdari, M. Willert-Porada, C. Pfeiffer, Mechanical properties of dense to porous alumina/lanthanum hexaaluminate composite ceramics. In: *Mater. Sci. Eng. A* 527 (2009), 3005-3009, <http://dx.doi.org/10.1016/j.msea.2010.01.050>
- 3/2010, A. Weidner, D. Amberger, F. Pyczak, B. Schönbauer, S. Stanzl-Tschegg, H. Mughrabi, Fatigue damage in copper polycrystals subjected to ultrahigh-cycle fatigue below the PSB threshold. In: *Int. J. Fatigue* 32 (2010), 872-878, <http://dx.doi.org/10.1016/j.ijfatigue.2009.04.004>
- 4/2010, Y. Cheng, E. Bitzek, D. Weygand, P. Gumbsch, Atomistic simulation of dislocation-void interactions under cyclic loading. In: *"Modelling and Simulation in Materials Science and Engineering"*, <http://dx.doi.org/> 18 (2010), 025006"
- 5/2010, J.G. Brunner, J. May, H.W. Höppel, M. Göken, S. Virtanen, Localized corrosion of ultrafine-grained Al-Mg model alloys.

In: *Electrochimica Acta* 55 (2010), 1966-1970, <http://dx.doi.org/10.1016/j.electacta.2009.11.016>

6/2010, H. Mughrabi, Fatigue, an everlasting materials problem – still en vogue. In: *Proceedings of FATIGUE 2010*, edited by P. Lukáš, *Procedia Engineering* 2 (2010), 3-26, <http://dx.doi.org/10.1016/j.proeng.2010.03.003>

7/2010, H.W. Höppel, M. Prell, L. May, M. Göken, Influence of grain size and precipitates on the fatigue lives and deformation mechanisms in the VHCF-regime. In: *Proceedings of FATIGUE 2010*, edited by P. Lukáš, *Procedia Engineering* 2 (2010), 1025-1034, <http://dx.doi.org/10.1016/j.proeng.2010.03.111>

8/2010, Y.T. Zhu, S.N. Mathaudhu, M. Göken, T.G. Langdon, T.C. Lowe, S.L. Semiatin, Preface to the Special Issue on Ultrafine Grained Materials. In: *J. Mater. Sci.* 45 (2010), 4543-4544, <http://dx.doi.org/10.1007/s10853-010-4709-8>

9/2010, T. Hausöl, H.W. Höppel, M. Göken, Tailoring materials properties of UFG aluminium alloys by accumulative roll bonded sandwich-like sheets. In: *J. Mater. Sci.* 45 (2010), 4733-4738, <http://dx.doi.org/10.1007/s10853-010-4678-y>

10/2010, Y.S. Jang, M. Jank, V. Maier, K. Durst, N. Travitzky, C. Zollfrank, SiC ceramic micropatterns from polycarbosilanes. In: *J. Eur. Cer. Soc.* 30 (2010), 2773-2779, <http://dx.doi.org/10.1016/j.jeurceramsoc.2010.05.019>

11/2010, A. Heckel, R. Rettig, S. Cenanovic, M. Göken, R.F. Singer, Investigation of the final stages of solidification and eutectic phase formation in Re and RU containing nickel-base superalloys. In: *J. Crystal Growth* 312 (2010), 2137, <http://dx.doi.org/10.1016/j.jcrysgro.2010.03.041>

12/2010, E. Nikulina, K. Durst, M. Göken, R. Völkl, U. Glatzl, Microstructural and micromechanical characterisation of a Pt-Al-Cr-Ni-Re alloy by means of transmission electron microscopy and nanoindentation. In: *I. J. Mater. Res.* 101 (2010), 585-588, [http://dx.doi.org/10.1016/1359-6462\(96\)00109-1](http://dx.doi.org/10.1016/1359-6462(96)00109-1)

13/2010, D. Amberger, P. Eisenlohr, M. Göken, Influence of microstructure on creep strength of MRI 230D Mg alloy. In: *J. Phys.: Conference Series* 240 (2010), 012068, <http://dx.doi.org/10.1088/1742-6596/240/1/012068>

14/2010, V. Maier, H.W. Höppel, M. Göken, Nanomechanical behaviour of Al-Ti layered composites produced by accumulative roll bonding. In: *J. Phys.: Conference Series* 240 (2010), 012108, <http://dx.doi.org/10.1088/1742-6596/240/1/012108>

15/2010, T. Hausöl, H.W. Höppel, M. Göken, Microstructure and mechanical properties of accumulative roll bonded aluminium alloy AA5754. In: *J. Phys.: Conference Series* 240 (2010), 012128, <http://dx.doi.org/10.1088/1742-6596/240/1/012128>

16/2010, W. Blum, P. Eisenlohr, A simple dislocation model of the influence of high angle grain boundaries on the deformation behavior of ultrafine grained materials. In: *J. Phys.: Conference Series* 240 (2010), 012136, <http://dx.doi.org/10.1016/j.actamat.2008.12.041>

17/2010, F. Momprou, M. Legros, D. Caillard and H. Mughrabi, In situ TEM observations of reverse dislocation motion upon unloading of tensile-deformed UFG aluminium. In: *J. Phys.: Conference Series* 240 (2010), 012137, <http://dx.doi.org/10.1088/1742-6596/240/1/012137>

18/2010, H. Höppel, M. Korn, R. Lapovok, H. Mughrabi, Bimodal grain size distribution of UFG materials produced by SPD: Their evolution and effect on the mechanical properties. In: *J. Phys.: Conference Series* 240 (2010), 012147, <http://dx.doi.org/10.1088/1742-6596/240/1/012147>

19/2010, H. Mughrabi, H.W. Höppel, Cyclic deformation and fatigue properties of very fine-grained metals and alloys. In: *I. J. Fat.* 32 (2010), 1413, <http://dx.doi.org/10.1016/j.ijfatigue.2009.10.007>

20/2010, B. Brandt, C. Zollfrank, O. Franke, J. Fromm, M. Göken, K. Durst, Micromechanics and ultrastructure of pyrolysed softwood cell walls. In: *Acta Biomater.* 6 (2010), 4345, <http://dx.doi.org/10.1016/j.actbio.2010.05.026>

- 21/2010, K. Durst, S. Hofmann, B. Backes, J. Mueller, M. Göken, Microimprinting of nanocrystalline metals - Influence of microstructure and work hardning. In: J. Mater. Proc. Tech. 210 (2010), 1787, <http://dx.doi.org/10.1016/j.jmatprotec.2010.06.010>
- 22/2010, T. Hausöl, V. Maier, C.W. Schmidt, M. Winkler, H.W. Höppel, M. Göken, Tailoring Materials Properties by Accumulative Roll Bonding. In: Adv. Eng. Mater. 12 (2010), 740, <http://dx.doi.org/10.1002/adem.201000044>
- 23/2010, H. Mughrabi, Cyclic deformation and fatigue of different steels. Fundamentals and some examples of applications. In: Proc. of 2nd International Steel Science Seminar, Kyoto, 2009, The Iron and Steel Institute of Japan (2010), 1
- 24/2010, A. Bauer, S. Neumeier, F. Pyczak, M. Göken, Microstructure and creep strength of different gamma/gamma'-strengthened Co-base superalloy variants. In: Scr. Mater. 63 (2010), 1197, <http://dx.doi.org/10.1016/j.scriptamat.2010.08.036>
- 25/2010, F. Pyczak, S. Neumeier, M. Göken, Temperature dependence of element partitioning in rhenium bearing nickel-base superalloys. In: Mater. Sci. Eng. A 527 (2010), 7939, <http://dx.doi.org/10.1016/j.msea.2010.08.091>
- 26/2010, J. Scharnweber, W. Skrotzki, C.-G. Oertel, H.-G. Brokmeier, H.W. Höppel, I. Topic, J. Jaschinski, Texture, microstructure and mechanical properties of ultrafine grained aluminum produced by accumulative roll bonding. In: Adv. Eng. Mater. 12 (2010), 989, <http://dx.doi.org/10.1002/adem.201000067>
- 27/2010, B. Brandt, U. Lohbauer, M. Göken, K. Durst, The influence of the particle size on the mechanical properties of dental glass ionomer cements. In: Adv. Eng. Mater. 12 (2010), B684, <http://dx.doi.org/10.1002/adem.201080067>
- 28/2010, B. Brandt, K. Durst, R. Belli, M. Göken, U. Lohbauer, Fracture toughness of GIC- A mechanistic approach on the nanoscale. In: Dental Mater. 26 (2010), e32, <http://dx.doi.org/10.1016/j.dental.2010.08.075>

2011

- 1/2011, H.W. Höppel, L. May, M. Prell, M. Göken, Influence of grain size and precipitation state on the fatigue lives and deformation mechanisms of CP aluminium and AA6082 in the VHCF-regime. In: I. J. Fat. 33 (2011), 10, <http://dx.doi.org/10.1016/j.ijfatigue.2010.04.013>
- 2/2011, M. Bestmann, G. Pennacchioni, G. Frank, M. Göken, H. de Wall, Pseudotachylyte in muscovite-bearing quartzite: Coseismic friction-induced melting and plastic deformation of quartz. In: J. Structural Geology. 33 (2011), 169, <http://dx.doi.org/10.1016/j.jsg.2010.10.009>
- 3/2011, M. Korn, R. Lapovok, A. Böhner, H.W. Höppel, H. Mughrabi, Bimodal grainsize distribution in UFG materials produced by SPD – their evolution and effect on the fatigue and monotonic strength properties. In: Kovove Mater. 49 (2011), 1, <http://dx.doi.org/10.4149/km.2011.1.51>
- 4/2011, S. Neumeier, M. Dinkel, F. Pyczak, M. Göken, Nanoindentation and XRD investigation of single crystalline Ni-Ge brazed nickel-base superalloys PWA 1483 and René N5. In: Mater. Sci. Eng. A 528 (2011), 815, <http://dx.doi.org/10.1016/j.msea.2010.09.065>
- 5/2011, C.W. Schmidt, C. Knieke, V. Maier, H.W. Höppel, W. Peukert, M. Göken, Accelerated grain refinement during accumulative roll bonding by nanoparticle reinforcement. In: Scr. Mater. 64 (2011), 245, <http://dx.doi.org/10.1016/j.scriptamat.2010.10.013>
- 6/2011, J.H. Schneibel, M. Heilmaier, W. Blum, G. Hasemann, T. Shanmugasundaram, Temperature dependence of strength of fine- and ultrafine-grained materials. In: Acta Mater. 59 (2011), 1300, <http://dx.doi.org/10.1016/j.actamat.2010.10.062>
- 7/2011, L. Zirkel, V. Maier, K. Durst, H. Münstedt, Compression moduli of foamed films of fluorinated ethylene propylene copolymers determined by nanoindentation. In: Polymer Testing 30 (2011), 286, <http://dx.doi.org/10.1016/j.polymertesting.2011.01.005>

- 8/2011, B. Merle, M. Göken, Fracture toughness of silicon nitride films of different thicknesses as measured by bulge tests. In: *Acta Mater.* 59 (2011), 1772, <http://dx.doi.org/10.1016/j.actamat.2010.11.043>
- 9/2011, T. Hausöl, H.W. Höppel, M. Göken, Microstructure and mechanical properties of accumulative roll bonded AA6014/AA5754 aluminium laminates. In: *Mater. Sci. For.* 667-669 (2011), 217, <http://dx.doi.org/10.4028/www.scientific.net/MSF.667-669.217>
- 10/2011, C.W. Schmidt, C. Knieke, V. Maier, H.W. Höppel, W. Peukert, M. Göken, Influence of nanoparticle reinforcement on the mechanical properties of ultrafine-grained aluminium produced by ARB. In: *Mater. Sci. For.* 667-669 (2011), 725, <http://dx.doi.org/10.4028/www.scientific.net/MSF.667-669.725>
- 11/2011, C. Pfeiffer, E. Affeldt, M. Göken, Miniaturized bend tests on partially stabilized EB-PVD ZrO₂ thermal barrier coatings. In: *Sur. Coat. Techn.* 205 (2011), 3245, <http://dx.doi.org/10.1016/j.surfcoat.2010.11.047>
- 12/2011, J. Schaufler, G. Yang, K. Durst, E. Spiecker, M. Göken, Microscopic study on the interfacial strength of hydrogenated amorphous carbon coating systems. In: *Sur. Coat. Techn.* 205 (2011), 3429, <http://dx.doi.org/10.1016/j.surfcoat.2010.12.005>
- 13/2011, S. Mekala, P. Eisenlohr, W. Blum, Control of dynamic recovery and strength by subgrain boundaries – Insights from stress-change tests on CaF₂ single crystals. In: *Phil. Mag.* 91 (2011), 908, <http://dx.doi.org/10.1080/14786435.2010.535324>
- 14/2011, A. Heckl, S. Neumeier, M. Göken, R.F. Singer, The effect of Re and Ru on gamma/gamma' microstructure, gamma-solid solution strengthening and creep strength in nickel-base superalloys. In: *Mater. Sci. Eng. A* 528 (2011), 3435, <http://dx.doi.org/10.1016/j.msea.2011.01.023>
- 15/2011, N.M. Jennet, M. Göken, K. Durst, Nano-mechanical testing in materials research and development FOREWORD. In: *Phil. Mag.* 91 (2011), 1035, <http://dx.doi.org/10.1080/14786435.2011.561524>
- 16/2011, A. Böhner, V. Maier, K. Durst, H.W. Höppel, M. Göken, Macro- and Nanomechanical Properties and Strain Rate Sensitivity of Accumulative Roll Bonded and Equal Channel Angular Pressed Ultrafine-Grained Material. In: *Adv. Eng. Mater.* 13 (2011), 251, <http://dx.doi.org/10.1002/adem.201000270>
- 17/2011, A. Böhner, F. Kriebel, R. Lapovok, H.W. Höppel, M. Göken, Influence of Backpressure during ECAP on the Monotonic and Cyclic Deformation Behavior of AA5754 and Cu99.5. In: *Adv. Eng. Mater.* 13 (2011), 269, <http://dx.doi.org/10.1002/adem.201000269>
- 18/2011, O. Franke, M. Göken, M. Meyers, K. Durst, A. Hodge, Dynamic nanoindentation of articular porcine cartilage. In: *"Mater. Sci. Eng. C*, <http://dx.doi.org/10.1016/j.msc.2011.07.031> (2011), 789"
- 19/2011, M. Prechtel, P. Leiva-Ronda, R. Janisch, A. Hartmaier, G. Leugering, P. Steinmann, M. Stingel, Simulation of fracture in heterogeneous elastic materials with cohesive zone models. In: *Int. J. Fract.* 168 (2011), 15, <http://dx.doi.org/10.1007/s10704-010-9552-z>
- 20/2011, L. Klein, A. Bauer, S. Neumeier, M. Göken, S. Virtanen, High temperature oxidation of gamma/gamma'-strengthened Co-base superalloys. In: *Corrosion Science* 53 (2011), 2027, <http://dx.doi.org/10.1016/j.corsci.2011.02.033>
- 21/2011, M.H. Rausch, K. Durst, M. Göken, P.-J. Jakobs, A. Leipertz, A.P. Fröba, Untersuchungen zur Ursache der Tropfenkondensation von Wasserdampf an ionenimplantierten Metalloberflächen. In: *Chemie Ing. Technik* 83 (2011), 545, <http://dx.doi.org/10.1002/cite.201000182>
- 22/2011, H.W. Höppel, M. Göken, Fatigue behaviour of nanostructured materials. In: *Nanostructured metals and alloys*, edited by Sung H. Whang, Woodhead Publishing Limited, Philadelphia, USA, 2011, 507
- 23/2011, C.W. Schmidt, H.W. Höppel, M. Göken, Maßgeschneiderte partikelverstärkte Verbundwerkstoffe und Werkstoffverbunde

hergestellt durch den akkumulativen Walzprozess (ARB). In: Wielage, Bernhard (Hrsg.): Tagungsband zum 18. Symposium Verbundwerkstoffe und Werkstoffverbunde, Eigenverlag, Chemnitz (2011), 33

24/2011, M. Lodes, A. Hartmaier, M. Göken, K. Durst, Influence of dislocation density on the pop-in behavior and indentation size effect in CaF₂ single crystals: Experiments and molecular dynamics simulations. In: *Acta Mater.* 59 (2011), 4264, <http://dx.doi.org/10.1016/j.actamat.2011.03.050>

25/2011, V. Maier, K. Durst, J. Mueller, B. Backes, H.W. Höppel, M. Göken, Nanoindentation strain-rate jump tests for determining the local strain-rate sensitivity in nanocrystalline Ni and ultrafine-grained Al. In: *J. Mater. Res.* 26 (2011), 1421, <http://dx.doi.org/10.1557/jmr.2011.156>

26/2011, H. Mughrabi, The importance of fatigue crack initiation in ultrahigh-cycle fatigue (UHCF). In: Proc. of the 5th Int. Conf. on Very High Cycle Fatigue (VHCF-5), Berlin 2011, edited by C. Berger and H.-J. Christ, Deutscher Verband für Materialforschung und -prüfung e.V. (DVM) (2011), 53

27/2011, J. Bach, H.W. Höppel, M. Prell, M. Göken, Influence of the grain size and precipitations on the fatigue lives and deformation mechanisms in the VHCF-regime. In: Proc. of the 5th Int. Conf. on Very High Cycle Fatigue (VHCF-5), Berlin 2011, edited by C. Berger and H.-J. Christ, Deutscher Verband für Materialforschung und -prüfung e.V. (DVM) (2011), 213

28/2011, F. Ahmed, K. Bayerlein, S.M. Rosiwal, M. Göken, K. Durst, Stress evolution and cracking of crystalline diamond thin films on ductile titanium substrate: Analysis by micro-Raman spectroscopy and analytical modelling. In: *Acta mater.* 59 (2011), 5433, <http://dx.doi.org/10.1016/j.actamat.2011.05.015>

29/2011, S. Neumeier, J. Ang, R.A. Hobbs, C.M.F. Rae, H.J. Stone, Lattice misfit of high refractory ruthenium containing nickel-base superalloys. In: *Adv. Mater. Res.* 278 (2011), 60, <http://dx.doi.org/10.4028/www.scientific.net/AMR.278.60>

30/2011, J.P. Minshull, S. Neumeier, M.G. Tucker, H.J. Stone, Al-L12 structures in the Al-Co-Ni-Ti quaternary phase system. In: *Adv. Eng. Res.* 278 (2011), 399, <http://dx.doi.org/10.4028/www.scientific.net/AMR.278.399>

31/2011, M. Funk, K. Ma, C. Eberl, M. Göken, K. Hemker, High-Temperature Mechanical Behavior of End-of-Life Cryomilled NiCrAlY Bond Coat Materials. In: *Metal. Mater. Trans. A* 42A (2011), 2233, <http://dx.doi.org/10.1007/s11661-011-0659-2>

32/2011, M. Göken, H.W. Höppel, Tailoring Nanostructured, Graded, and Particle-Reinforced Al Laminates by Accumulative Roll Bonding. In: *Adv. Mater.* 23 (2011), 2663, <http://dx.doi.org/10.1002/adma.201100407>

33/2011, W. Blum, X.H. Zeng, Corrigendum to "A simple dislocation model of deformation resistance of ultrafine-grained materials explaining Hall-Petch strengthening and enhanced strain rate sensitivity" (*Acta Materialia* (2009) 57 (1966-1974)). In: *Acta Mater.* 59 (2011), 6205, <http://dx.doi.org/10.1016/j.actamat.2011.05.032>

34/2011, W. Blum, P. Eisenlohr, Structure evolution and deformation resistance in production and application of ultrafine-grained materials - The concept of steady-state grains. In: *Mater. Sci. Forum* 683 (2011), 163, <http://dx.doi.org/10.4028/www.scientific.net/MSF.683.163>

35/2011, A. Heckel, S. Neumeier, S. Cenanovic, M. Göken, R.F. Singer, Reasons for the enhanced phase stability of Ru-containing nickel-based superalloys. In: *Acta Mater.* 59 (2011), 6563, <http://dx.doi.org/10.1016/j.actamat.2011.07.002>

36/2011, J. Pedimonte, N. Travitzky, M. Korn, S. Krieglstein, P. Greil, Surface Modification of an Alumina-Based Bioceramic for Cement Application. In: *Adv. Biomater.* 13 (2011), B306, <http://dx.doi.org/10.1002/adem.201180004>

37/2011, J. Li, S. Sarkar, W.T. Cox, T.J. Lenosky, E. Bitzek, Y.Z. Wang, Diffusive molecular dynamics and its application to nanoindentation and sintering. In: *Phys. Rev. B* 84 (2011), 054103, <http://dx.doi.org/10.1103/PhysRevB.84.054103>

38/2011, W. Blum, Y.J. Li, Y. Zhang, J.T. Wang, Deformation resistance in the transition from coarse-grained to ultrafine-grained

Cu by severe plastic deformation up to 24 passes of ECAP. In: *Mater. Sci. and Eng. A* 528 (2011), 8621, <http://dx.doi.org/10.1016/j.msea.2011.08.010>

39/2011, C.W. Schmidt, P. Knödler, H.W. Höppel, M. Göken, Particle Based Alloying by Accumulative Roll Bonding in the System Al-Cu. In: *Metals* 1 (2011) 65, <http://dx.doi.org/10.3390/met1010065>

40/2011, A. Bhowmik, H.T. Pang, S. Neumeier, H.J. Stone, I. Edmonds, Microstructure and oxidation resistance of Cr-Ta-Si alloys. In: *Materials Research Society Symposium Proceedings* 1295 (2011), 323, <http://dx.doi.org/10.1557/opl.2011.38>

41/2011, S. Korte, J.S. Barnard, R.J. Stearn, W.J. Clegg, Deformation of silicon - Insights from microcompression testing at 25-500°C. In: *I. J. Plasticity* 27 (2011), 1853, <http://dx.doi.org/10.1016/j.ijplas.2011.05.009>

42/2011, S. Korte, M. Ritter, C. Jiao, P.A. Midgley, W.J. Clegg, Three-dimensional electron backscattered diffraction analysis of deformation in MgO micropillars. In: *Acta Mater.* 59 (2011), 7241, <http://dx.doi.org/10.1016/j.actamat.2011.08.022>

43/2011, F. Wolff, L. Zirkel, S. Betzold, M. Jakob, V. Maier, F. Nachtrab, B. Ceron Nicolat, T. Fey, H. Münstedt, Using Supercritical Carbon Dioxide for Physical Foaming of Advanced Polymer Materials. In: *I. Polymer Processing* 26 (2011), 437, <http://dx.doi.org/10.3139/217.2469>

44/2011, R. Meszaros, M. Wild, B. Merle, L. Wondraczek, Flexural strength of PVD-coated float glass for architectural applications. In: *Glass Technol.: Eur. J. Glass Sci. Technol. A* 52 (2011), 190-196

45/2011, J. Hay, V. Maier, K. Durst, M. Göken, Strain-rate Sensitivity (SRS) of Nickel by Instrumented Indentation. In: *Agilent Technologies, Applications Note* 5990-9434EN (2011)

46/2011, S. Neumeier, F. Pyczak, M. Göken, Influence of rhenium and ruthenium on the local mechanical properties of the gamma and gamma' phases in nickel-base superalloys. In: *Phil. Mag.* 91 (2011), 4187, <http://dx.doi.org/10.1080/14786435.2011.607139>

2012

1/2012, P.R. Howie, S. Korte, W.J. Clegg, Fracture modes in micropillar compression of brittle crystals. In: *J Mater. Res.* 27 (2012), 141-151

2/2012, S. Korte, R.J. Stearn, J.M. Wheeler, W.J. Clegg, High temperature microcompression and nanoindentation in vacuum. In: *J Mater. Res.* 27 (2012), 167-176

3/2012, B. Merle, V. Maier, M. Göken, and K. Durst, Experimental determination of the effective indenter shape and epsilon-factor for nanoindentation by continuously measuring the unloading stiffness. In: *J Mater. Res.* 27 (2012), 214-221

4/2012, J. Schaufler, K. Durst, T. Haas, R. Nolte, H.W. Höppel, M. Göken, The influence of hydrogenated amorphous carbon coatings (a-C:H) on the fatigue life of coated steel specimens. In: *J. Fatigue* 37 (2012), 1-7

5/2012, A. Heckl, S. Cenanovic, M. Göken, R.F. Singer, Discontinuous Precipitation and Phase Stability in Re- and Ru-Containing Nickel-Base Superalloys. In: *Metal. Mater. Trans. A* 43A (2012), 10-19

6/2012, F. Iqbal, J. Ast, M. Göken, K. Durst, In-situ micro-cantilever tests to study fracture properties of NiAl single crystals. In: *Acta Mater.* 60 (2012), 1193-1200

7/2012, M. Schloffer, F. Iqbal, H. Babrisch, E. Schwaighofer, F.-P. Schimansky, S. Mayer, A. Stark, T. Lippmann, M. Göken, F. Pyczak, H. Clemens, Microstructure development and hardness of a powder metallurgical multi phase gamma-TiAl based alloy. In: *Intermetallics* 22 (2012), 231-240

8/2012, D. Amberger, P. Eisenlohr, M. Göken, On the importance of a connected hard-phase skeleton for the creep resistance of Mg

alloys. In: *Acta Mater.* 60 (2012), 2277-2289

9/2012, T. Hausöl, C.W. Schmidt, V. Maier, W. Böhm, H. Nguyen, M. Merklein, H.W. Höppel, M. Göken, Formability of ultrafine-grained AA6016 sheets processed by accumulative roll bonding. In: *Key Eng. Mater.* 504-506 (2012), 575-580

10/2012, P. Chekhonin, B. Beausir, J. Scharnweber, C.-G. Oertel, J. Jaschinski, T. Hausöl, H.W. Höppel, H.-G. Brokmeier, W. Skrotzki, Mechanical anisotropy of aluminium laminates produced by ARB. In: *Mater. Sci. For.* 702-703 (2012), 151-156

11/2012, A. Böhner, T. Niendorf, D. Amberger, H.W. Höppel, M. Göken, H.J. Maier, Martensitic Transformation in Ultrafine-Grained Stainless Steel AISI 304L under Monotonic and Cyclic Loading. In: *Metals* 2 (2012), 56-64

12/2012, H. Hetzner, J. Schaufler, G. Pejic, S. Tremml, K. Durst, S. Wartzack, Investigation on the tribological-mechanical behavior of amorphous carbon coatings by load-scanning tests. In: *Materialwissenschaft und Werkstofftechnik* 43 (2012), 226-233

13/2012, K. Durst, H. ur Rehman, B. Merle, Comment to paper „Penetration depth and tip radius dependence on the correction factor in nanoindentation measurements“ by J.M. Meza et al. [*J. Mater. Res.* 23(3), 725 (2008)]. In: *J. Mater. Res.* 27 (2012), 1205-1207

14/2012, H. Mughrabi, Damage mechanisms and fatigue lives: From the low to the very high cycle regime. In: *Proceedings of the 6th International Conference on Creep, Fatigue and Creep-Fatigue Interaction (CF-6)*, Mamallapuram, January 22-25, (2012), 235-242

15/2012, F. Momprou, D. Caillard, M. Legros, H. Mughrabi, In situ TEM observations of reverse dislocation motion upon unloading in tensile-deformed UFG aluminium. In: *Acta Mater.* 60 (2012), 3402-3414

16/2012, E. Bitzek, Atomistic Study of Twinning in Gold Nanowhiskers. In: *J. Solid Mech. Mater. Eng.* 6 (2012), 99-105

17/2012, T. Hausöl, H.W. Höppel, M. Göken, Ultrafine-grained AA6014/AA5754 laminates produced by accumulative roll bonding (ARB). In: *Materialwissenschaft und Werkstofftechnik* 43 (2012), 334-339

18/2012, A. Sedlmayr, E. Bitzek, D.S. Gianola, G. Richter, R. Mönig, O. Kraft, Existence of two twinning-mediated plastic deformation modes in Au nanowhiskers. In: *Acta Mater.* 60 (2012), 3985-3993

19/2012, M. Bestmann, G. Pennacchioni, S. Nielsen, M. Göken, H. de Wall, Deformation and ultrafine dynamic recrystallization of quartz in pseudotachylytebearing brittle faults: A matter of a few seconds. In: *J. Structural Geology* 38 (2012), 21-38

20/2012, P. Chekhonin, B. Beausir, J. Scharnweber, C.-G. Oertel, T. Hausöl, H.W. Höppel, H.-G. Brokmeier, W. Skrotzki, Confined recrystallization of high-purity aluminium during accumulative roll bonding of aluminium laminates. In: *Acta Mater.* 60 (2012), 4661-4671

21/2012, V. Maier, T. Hausöl, C. Schmidt, W. Böhm, H. Nguyen, M. Merklein, H.W. Höppel, and M. Göken, Tailored Heat-treated Accumulative Roll Bonded Aluminum Blanks: Microstructure and Mechanical Behavior. In: *"Metall. Mater. Trans. A* 43A, <http://dx.doi.org/> (2012), 3097-3107"

22/2012, A. Bauer, S. Neumeier, F. Pyczak, R.F. Singer, M. Göken, Creep properties of different γ -prime-strengthened Co-base superalloys. In: *Mater. Sci. Eng. A* 550 (2012), 333-341

23/2012, R. Meszaros, B. Merle, M. Wild, K. Durst, M. Göken, L. Wondraczek, Effect of the thermal annealing on the mechanical properties of low-emissivity physical vapor deposition multilayer-coatings for architectural applications. In: *Thin Solid Films* 520 (2012), 7130-7135

24/2012, H. Hetzner, J. Schaufler, S. Tremmel, K. Durst, S. Wartzack, Failure mechanisms of a hydrogenated amorphous carbon coating in load-scanning tests. In: *Sur. Coat. Techn.* 206 (2012), 4864-4871

- 25/2012, H. ur Rehman, F. Ahmed, C. Schmid, J. Schaufler, K. Durst, Study on the deformation mechanics of hard brittle coatings on ductile substrates using in-situ tensile testing and cohesive zone FEM modeling. In: *Sur. Coat. Techn.* 207 (2012), 163-169
- 26/2012, S. Sakar, J. Li, W.T. Cox, E. Bitzek, T.J. Lenosky, Y. Wang, Finding activation pathway of coupled displacive-diffusional defect processes in atomistics: Dislocation climb in fcc copper. In: *Phys. Rev. B* 86 (2012), 014115
- 27/2012, B. Merle, E.W. Schweitzer, M. Göken, Thickness and grain size dependence of the strength of copper thin films as investigated with bulge tests and nanoindentation. In: *Phil. Mag.* 92 (2012), 3172-3187
- 28/2012, J. Schaufler, C. Schmid, K. Durst, M. Göken, Determination of the interfacial strength and fracture toughness of a-C:H coatings by in-situ microcantilever bending. In: *Thin Solid Films* 522 (2012), 480-484
- 29/2012, M. Göken, H.W. Höppel, T. Hausöl, J. Bach, V. Maier, C.W. Schmidt and D. Amberger, Grain refinement and deformation mechanisms in heterogeneous ultrafine-grained materials processed by accumulative roll bonding. In: *Proceedings of 33rd Risø Symposium On Materials Science: Nanometals – Status and Perspective* (2012), 31–48
- 30/2012, A. Böhner, H.W. Höppel, J. May, M. Göken, Influence of the ECAP processing parameters on the cyclic deformation behavior on ultrafine-grained cubic centered metals. In: *Adv. Eng. Mater.* 14 (2012), 842-847
- 31/2012, P. Eisenlohr, O. Güvenc, D. Amberger, Influence of hard-phase skeleton on creep strength of Mg-alloys - insights from full field deformation simulations. In: *9th Int. Conf. Magnesium Alloys and their Applications, Vancouver* (2012), 87-92
- 32/2012, H.W. Höppel, R. Pippan, C. Motz, E. Le Bourhis, Nanostructured materials. In: *Adv. Eng. Mater.* 14 (2012), 941
- 33/2012, S. Korte, W.J. Clegg, Studying plasticity in hard and soft Nb-Co Intermetallics. In: *Adv. Eng. Mater.* 14 (2012), 991-997
- 34/2012, C.W. Schmidt, M. Ruppert, H.W. Höppel, F. Nachtrab, A. Dietrich, R. Hanke, M. Göken, Design of graded materials by particle reinforcement during accumulative roll bonding. In: *Adv. Eng. Mater.* 14 (2012), 1009-1017
- 35/2012, M. Yasir, G. Mori, H. Wieser, A. Reller, H.W. Höppel, Study of the sensitization and different heating cycles on stainless steels used for automotive exhaust components. In: *Mater. Corr.* 63 (2012), 763-776
- 36/2012, R. Webler, M. Krottenthaler, S. Neumeier, K. Durst, M. Göken, Local Fracture Toughness and Residual Stress Measurements on NiAl Bond Coats by Micro Cantilever and FIB Based Bar Milling Tests. In: *Superalloys 2012, TMS*, (2012), 93-102
- 37/2012, A. Bauer, S. Neumeier, F. Pyczak, M. Göken, Creep Strength and Microstructure of Polycrystalline gamma-prime-Strengthened Cobalt-Base Superalloys. In: *Superalloys 2012, TMS*, (2012), 695-703
- 38/2012, H. Hetzner, J. Schaufler, S. Tremmel, K. Durst, S. Wartzack, Failure mechanisms of a tungsten-modified hydrogenated amorphous carbon coating in load-scanning tests. In: *Sur. Coat. Techn.* 212 (2012), 46-54

2013

- 1/2013, C. Schmid, V. Maier, J. Schaufler, B. Butz, E. Spieker, M. Göken, K. Durst, Highly resolved analysis of the chemistry and mechanical properties of an a-C:H coating system by nanoindentation and auger electron spectroscopy. In: *Thin solid films* 528 (2013), 263-268.
- 2/2013, M. Krottenthaler, C. Schmid, J. Schaufler, K. Durst, M. Göken, A simple method for residual stress measurement in thin films by means of focused ion beam milling and digital image correlation. In: *Sur. Coat. Techn.* 215 (2013), 247-252.
- 3/2013, J.L. Hay, V. Maier, K. Durst, M. Göken, Strain rate sensitivity (SRS) of Nickel by Instrumented Indentation. In: *Conference Proceedings of the Society for Experimental Mechanics Series 6* (2013), 47-52.

- 4/2013, T. Niendorf, A. Böhner, H.W. Höppel, M. Göken, R.Z. Valiev, H.J. Maier, Comparison of monotonic and cyclic mechanical properties of ultrafine-grained low carbon steels processed by continuous and conventional equal channel angular pressing. In: *Materials and Design* 47 (2013), 138-142.
- 5/2013, H. Mughrabi, Cyclic slip irreversibility and fatigue life: A microstructure-based analysis. In: *Acta Mater.* 61 (2013) 1197-1203.
- 6/2013, G. Saada, D. Embury, H. Inui, H. Mughrabi, Foreword. In: *Phil. Mag.* 93 (2013), 1.
- 7/2013, E. Bitzek, P. Gumbsch, Mechanism of dislocation multiplication at crack tips. In: *Acta Mater.* 61 (2013) 1394-1403.
- 8/2013, F. Pyczak, A. Bauer, M. Göken, S. Neumeier, U. Lorenz, M. Oehring, N. Schella, A. Schreyer, A. Stark, F. Symanzik, Plastic deformation mechanisms in a crept L12 hardened Co-base superalloy. In: *Mater. Sci. and Eng. A571* (2013) 13-18.
- 9/2013, J. Ast, K. Durst, Nanoforming behaviour and microstructural evolution during nanoimprinting of ultrafine-grained and nanocrystalline metals. In: *Mater. Sci. Eng. A568* (2013) 68-75.
- 10/2013, A. Kurtovic, T. Hausöl, H.W. Höppel, M. Göken, H.J. Maier, Surface strain evolution of ultrafine-grained aluminum alloy laminates under tension - Microscale plastic instabilities and the Portevin-Le Chatelier effect. In: *Scripta Mater.* 68 (2013) 809-812.
- 11/2013, H. Mughrabi, Damage mechanisms and fatigue lives: From the low to the very high cycle regime. In: *In: Proc. of 6th International Conference on Creep, Fatigue and Creep-Fatigue Interaction*, edited by S.C. Chetal, T. Jayakumar, R. Sandhya, K. Laha and M.D. Mathew, *Procedia Engineering* 55 (2013) 636-644
- 12/2013, M. Rahim, J. Frenzel, M. Frotscher, J. Pfetzinger-Micklich, R. Steegmüller, M. Wohl-schlögel, H. Mughrabi, G. Eggeler, Impurity levels and fatigue lives of pseudoelastic NiTi shape memory alloys. In: *Acta Mater.* 61 (2013) 3667-3686.
- 13/2013, V. Maier, B. Merle, M. Göken, K. Durst, An improved long-term nanoindentation creep testing approach for studying the local deformation processes in nanocrystalline metals at room and elevated temperatures. In: *Journal of Materials Research* 28, (2013), 1177-1188.
- 14/2013, H. Mughrabi, Microstructural fatigue mechanisms: Cyclic slip irreversibility, crack initiation, non-linear elastic damage analysis. In: *Int. J. Fatigue* 57, (2013), 2-8.
- 15/2013, J.M. Wheeler, V. Maier, K. Durst, M. Göken, J. Michler, Activation parameters for deformation of ultrafine-grained aluminium as determined by indentation strain rate jumps at elevated temperature. In: *Mater. Sci. and Eng. A585*, (2013), 108-113.
- 16/2013, P. Chekhonin, J. Scharnweber, M. Scharnweber, C.-G. Oertel, T. Hausöl, H.W. Höppel, J. Jaschinski, T. Marr, W. Skrotzki, Mechanical properties of aluminium laminates produced by accumulative roll bonding. In: *Crystal Research and Technology* 48, (2013), 532-537.
- 17/2013, J. Bach, H.W. Höppel, E. Bitzek, M. Göken, Influence of specimen geometry on temperature increase during ultrasonic fatigue testing. In: *Ultrasonics* 53, (2013), 1412-1416.
- 18/2013, J.J. Möller, A. Prakash, E. Bitzek, FE2AT - finite element informed atomistic simulations. In: *Modelling and Simulation in Materials Science and Engineering* 21 055011, (2013), 1-20.
- 19/2013, D. Amberger, T. Blickle, H.W. Höppel, M. Göken, Fatigue Behavior of Calcium Containing AZ91 Magnesium Alloys. In: *Proceedings of the 7th International Conference on Low Cycle Fatigue*, T. Beck, E. Charkaluk E. (eds.), Aachen, DVM, Berlin, (2013), pp. 75-80.
- 20/2013, H.W. Höppel, T. Hausöl, M. Göken, Fatigue Life, Cyclic Deformation Behaviour and Damage Mechanisms of Ultrafine-Grained AA5754 Aluminum Alloy Produced by Accumulative Roll Bonding. In: *Proceedings of the 7th International*

Conference on Low Cycle Fatigue, T. Beck , E. Charkaluk E. (eds.), Aachen, DVM, Berlin, (2013), pp. 267-272.

21/2013, M. Kommer, S. Schwub, J. Freudenberger, H.W. Höppel, M. Göken, Cyclic Deformation Behaviour and Damage Mechanisms in CuAgZr Alloys. In: Proceedings of the 7th International Conference on Low Cycle Fatigue, T. Beck , E. Charkaluk E. (eds.), Aachen, DVM, Berlin, (2013), p. 457.

22/2013, H.P. Ng, T.Przybilla, C. Schmidt, R. Lapovok, D. Orlov, H.W. Höppel, M. Göken, Asymmetric accumulative roll bonding of aluminium-titanium composite sheets. In: Mater Sci and Eng A 576, (2013) , 306-315

23/2013, H. Mughrabi, Cyclic strain rate effects in fatigued face-centred and body-centred cubic metals. In: Phil. Mag. A 93, (2013), 3821-3834

24/2013, Y. Umeno, W. Nöhring, A. Iskandarov, E. Bitzek, Atomistic Model Analysis of Local and Global Instabilities in Crystals at Finite Temperature. In: Key Engineering Materials 592-593, (2013), 39-42

25/2013, J. Bach, J.P. Liebig, H.W. Höppel, W. Blum, Influence of grain boundaries on the deformation resistance: Insights from an investigation of deformation kinetics and microstructure of copper after predeformation by ECAP. In: Phil. Mag., (2013), 4331-4354

26/2013, M. Ruppert, W. Böhm, H. Nguyen, H.W. Höppel, M. Merklein, M. Göken, Influence of upscaling accumulative roll bonding on the homogeneity and mechanical properties of AA1050A. In: J. Mater. Sci. 48 , (2013), 8377-8385

27/2013, U. Depner-Miller, J. Ellermeier, H. Scheerer, M. Oechsner, K. Bobzin, N. Bagcivan, T. Brögelmann, R. Reiss, K. Durst, C. Schmid, Influence of application technology on the erosion resistance of DLC coatings. In: Sur. Coat. Techn. 237, (2013), 284-291

28/2013, M. Tallawi, R. Rai, M. R-Gleixner, O. Roerick, M. Weyand, J. A. Roether, D. W. Schubert, A. Kozłowska, M. El Fray, B. Merle, M. Göken, K. Aifantis, A. R. Boccaccini, Poly(glycerol sebacate)/Poly(butylenesuccinate-dilinoleate) Blends as Candidate Materials for Cardiac Tissue Engineering. In: Macromol. Symp. 2013, 334, 57–67

29/2013, Ahmed F., Krottenthaler M., Schmid C., Assessment of stress relaxation experiments on diamond coatings analysed by digital image correlation and micro-Raman spectroscopy. In: Surface & Coatings Technology 273 (2013), 255-260, <http://dx.doi.org/10.1016/j.surfcoat.2013.07.025>

2014

1/2014, J. Bach, H.W. Höppel, M. Prell, M. Göken, Crack initiation mechanisms in AA6082 fatigued in the VHCF-regime. In: Int. J. Fatigue 60, (2014), 23-27, <http://dx.doi.org/10.1016/j.ijfatigue.2013.08.018>

2/2014, B. Merle, M. Göken, Bulge fatigue testing of freestanding and supported gold films. In: J. Mater. Res. 29, (2014), 267-276, <http://dx.doi.org/10.1557/jmr.2013.373>

3/2014, T. Marr, J. Freudenberger , V. Maier, H.W. Höppel, M. Göken, L. Schultz, The strengthening effect of phase boundaries in a severely plastically deformed Ti - Al composite wire. In: Metals 4, (2014), 37-54, <http://dx.doi.org/10.3390/met4010037>

4/2014, W. Blum, J. Dvorak, P. Kral, P. Eisenlohr, V. Sklenicka, What is “stationary” deformation of pure Cu. In: J. Mater. Sci. 49, (2014), 2987–2997, <http://dx.doi.org/10.1007/s10853-013-7983-4>

5/2014, F. Niekiel, E. Bitzek, E. Spiecker, Combining atomistic simulation and x-ray diffraction for the characterization of nanostructures. In: ACS Nano 8, (2014), 1629-1638, <http://dx.doi.org/10.1021/nn405941m>

6/2014, D. Zahn, E. Bitzek, Shearing in a biomimetic apatite-protein composite. In: PLoS ONE 9, (2014), e93309, <http://dx.doi.org/10.1371/journal.pone.0093309>

7/2014, J. Möller, E. Bitzek, Fracture toughness and bond trapping of grain boundary cracks. In: Acta Mater. 73, (2014), 1-11,

<http://dx.doi.org/10.1016/j.actamat.2014.03.035>

- 8/2014, J. Möller, E. Bitzek, Comparative study of embedded atom potentials for atomistic simulations of fracture in γ -iron. In: *Modelling Simul. Mater. Sci. Eng.* 22, (2014),29, <http://dx.doi.org/10.1088/0965-0393/22/4/045002>
- 9/2014, M. Ruppert, H.W. Höppel, M. Göken, Influence of cross-rolling on the mechanical properties of an accumulative roll bonded aluminum alloy AA6014. In: *Mater. Sci. and Eng. A* 597, (2014), 122-127, <http://dx.doi.org/10.1016/j.msea.2013.12.075>
- 10/2014, Y. Umeno, W. Nöhring, A. Iskandarov, E. Bitzek, Atomistic model analysis of local and global instabilities in crystals at finite temperature. In: *Eng. Mater. Vols. 592-593*, (2014), 39-42, <http://dx.doi.org/10.4028/www.scientific.net/KEM.592-593.39>
- 11/2014, M. Fried, C. Krechel, E.E. Affeldt, B. Eckert, S. Kimming, U. Retze, H.W. Höppel, M. Göken, Fatigue crack initiation in nickel-based superalloys studied by microstructure-based FE modeling and scanning electron microscopy. In: *MATEC Web of Conferences* 14, (2014), 16001, <http://dx.doi.org/10.1051/mateconf/20141416001>
- 12/2014, B. Merle, V. Maier, K. Durst, Experimental and theoretical confirmation of the scaling exponent 2 in pyramidal load displacement data for depth sensing indentation. In: *Scanning* Vol. 36, (2014), 526-529, <http://dx.doi.org/10.1002/sca.21151>
- 13/2014, I. Povstugar, P.P. Choi, S. Neumeier, A. Bauer, C.H. Zenk, M. Göken, D. Raabe, Elemental partitioning and mechanical properties of Ti- and Ta-containing Co-Al-W-base superalloys. In: *Acta Mater.* 78, (2014), 78-85, <http://dx.doi.org/10.1016/j.actamat.2014.06.020>
- 14/2014, R. Webler, S. Neumeier, M. Göken, Characterization of oxidation protection coatings for high temperature applications by means of nanoindentation and scanning electron microscopy methods. In: *Pract. Metallogr.* 51, (2014),8, <http://dx.doi.org/10.3139/147.110310>
- 15/2014, C.H. Zenk, S. Neumeier, H.J. Stone, M. Göken, Mechanical properties and lattice misfit of γ/γ' strengthened Co-base superalloys in the Co-W-Al-Ti quaternary system. In: *Intermetallics* 55, (2014), 28-39, <http://dx.doi.org/10.1016/j.intermet.2014.07.006>
- 16/2014, R. Lapovok, Y.S. Qi, H.P. Ng, V. Maier, Y. Estrin, Multicomponent materials from machining chips compacted by equal-channel angular pressing. In: *J. Mater. Sci.* 49, (2014), 1193-1204, <http://dx.doi.org/10.1007/s10853-013-7801-z>
- 17/2014, W. Fragmer, K. Baumgartner, H. Suppan, M. Hummel, D. Bosch, H.W. Höppel, P.J. Uggowitzer, Using scrap in recycling alloys for structural applications in the automotive industry. In: *TMS Light Metals*, (2014), 349-353, <http://dx.doi.org/10.1002/9781118888438.ch59>
- 18/2014, S. Lee, J. Im, Y. Yoo, E. Bitzek, D. Kiener, G. Richter, B. Kim, S.H. Oh, Reversible cyclic deformation mechanism of gold nanowires by twinning-detwinning transition evidenced from in situ TEM. In: *Nat. Commun.* 5, (2014), 3033, <http://dx.doi.org/10.1038/ncomms4033>
- 19/2014, J. Amodeo, C. Begau, E. Bitzek, Atomistic simulations of compression tests on Ni₃Al nanocubes. In: *Mater. Res. Lett.* 2, (2014), 140-145, <http://dx.doi.org/10.1080/21663831.2013.878884>
- 20/2014, J. Ast, T. Przybilla, V. Maier, K. Durst, M. Göken, Microcantilever bending experiments in NiAl. In: *J. Mater. Res.* 29, (2014), 2129-2140, <http://dx.doi.org/10.1557/jmr.2014.240>
- 21/2014, W.J. He, S.H. Zhang, A. Prakash, D. Helm, A hierarchical multi-scale model for hexagonal materials taking into account texture evolution during forming simulation. In: *Comput. Mater. Sci.* 82, (2014), 464-475, <http://dx.doi.org/10.1016/j.commatsci.2013.10.023>
- 22/2014, H. Mughrabi, The importance of sign and magnitude of γ/γ' lattice misfit in superalloys – with special reference to the new γ' -hardened cobalt-base superalloys. In: *Acta Mater.* 81, (2014), 21-29, <http://dx.doi.org/10.1016/j.actamat.2014.08.005>

23/2014, N.L. Phung, V. Favier, N. Ranc, F. Valés, H. Mughrabi, Very high cycle fatigue of copper: Evolution, morphology and locations of surface slip markings. In: *Int. J. Fatigue* 63, (2014), 68-77, <http://dx.doi.org/10.1016/j.ijfatigue.2014.01.007>

24/2014, N.L. Phung, A. Blanche, N. Ranc, V. Favier, A. Chrysochoos, N. Marti, N. Saintier, C. Wang, D. Wagner, C. Bathias, F. Grégori, B. Bacroix, H. Mughrabi, G. Thoquenne, Very high cycle fatigue for single phase ductile materials: microplasticity and energy dissipation. In: *Curran Associates Inc.* 6, (2014), 5113-5121

25/2014, A. Bhowmik, S. Neumeier, J.S. Barnard, C.H. Zenk, M. Göken, C.M.F. Rae, H.J. Stone, Microstructure and mechanical properties of Cr-Ta-Si Laves phase-based alloys at elevated temperatures. In: *Philos. Mag.* 94, (2014), 3914-3944, <http://dx.doi.org/10.1080/14786435.2014.971086>

26/2014, M. Pröbstle, S. Neumeier, D. Hünert, M. Göken, Tensile and creep strength of thermally exposed allvac 718Plus. In: *8th International Symposium on Superalloy 718 and Derivatives*, (2014), 349-360, <http://dx.doi.org/10.1002/9781119016854.ch28>

27/2014, W. Blum, J. Dvorak, P. Kral, P. Eisenlohr, V. Sklenicka, Effect of grain refinement by ECAP on creep of pure Cu. In: *Materials Science and Engineering: A* 590 (2014), 423-432, <http://dx.doi.org/10.1016/j.msea.2013.10.022>

2015

1/2015, D. Amberger, T. Blickle, H.W. Höppel, M. Göken, Fatigue behavior of calcium containing AZ91 magnesium alloys. In: *Materials Testing* 57, (2015), 126-130, <http://dx.doi.org/10.3139/120.110694>

2/2015, E. Bitzek, J.R. Kermode, P. Gumbsch, Atomistic aspects of fracture. In: *Int. J. Fract.* 191, (2015), 13-30, <http://dx.doi.org/10.1007/s10704-015-9988-2>

3/2015, D. Bösch, S. Pogatscher, M. Hummel, W. Fragner, P.J. Uggowitzer, M. Göken, H.W. Höppel, Secondary Al-Si-Mg High-pressure Die Casting Alloys with Enhanced Ductility. In: *Metall. Mater. Trans. A* 46, (2015), 1035-1045, <http://dx.doi.org/10.1007/s11661-014-2700-8>

4/2015, R. Webler, M. Ziener, S. Neumeier, P.J. Terberger, R. Vaßen, M. Göken, Evolution of microstructure and mechanical properties of coated Co-base superalloys during heat treatment and thermal exposure. In: *Mater. Sci. Eng. A* 628, (2015), 374-381, <http://dx.doi.org/10.1016/j.msea.2015.01.060>

5/2015, H. Mughrabi, Microstructural mechanisms of cyclic deformation, fatigue crack initiation and early crack growth.. In: *Phil. Trans. A Math. Phys. Eng. Sci.* 373, (2015), 2038, <http://dx.doi.org/10.1098/rsta.2014.0132>

6/2015, A. Bhowmik, S. Neumeier, S. Rhode, H. J. Stone, Allotropic transformation induced stacking faults and discontinuous coarsening in a gamma-gamma' Co-base alloy. In: *Intermetallics* 59, (2015), 95-101, <http://dx.doi.org/10.1016/j.intermet.2014.12.013>

7/2015, R. Rettig, N. Ritter, H.E. Helmer, S. Neumeier, R.F. Singer, Single-crystal nickel-based superalloys developed by numerical multi-criteria optimization techniques: design based on thermodynamic calculations and experimental validation. In: *Modelling Simul. Mater. Sci. Eng.* 23, (2015),24, <http://dx.doi.org/10.1088/0965-0393/23/3/035004>

8/2015, A. Prakash, W.G. Nöhring, R.A. Lebensohn, H.W. Höppel, E. Bitzek, A multiscale simulation framework of the accumulative roll bonding process accounting for texture evolution. In: *Mater. Sci. Eng. A* 632, (2015), 104-119, <http://dx.doi.org/10.1016/j.msea.2015.02.005>

9/2015, H.U. Rehman, K. Durst, S. Neumeier, A.B. Parsa, A. Kostka, G. Eggeler, M. Göken,, Nanoindentation studies of the mechanical properties of the mu phase in a creep deformed Re containing nickel-based superalloy. In: *Mater. Sci. Eng. A* 634, (2015), 202-208, <http://dx.doi.org/10.1016/j.msea.2015.03.045>

10/2015, F. Pyczak, A. Bauer, M. Göken, U. Lorenz, S. Neumeier, M. Oehring, J. Paul, N. Schell, A. Schreyer, A. Stark, F.

- Symanzik, The effect of tungsten content on the properties of L1(2) -hardened Co-Al-W alloys. In: *J. Alloy. Compd.* 632, (2015), 110-115, <http://dx.doi.org/10.1016/j.jallcom.2015.01.031>
- 11/2015, D. Li, T. Kunz, N. Wolf, J. P. Liebig, S. Wittmann, T. Ahmad, M. T. Hessmann, R. Auer, M. Göken, C. J. Brabec, Silicon nitride and intrinsic amorphous silicon double antireflection coatings for thin-film solar cells on foreign substrates. In: *Thin Solid Films* 583, (2015), 25-33, <http://dx.doi.org/10.1016/j.tsf.2015.03.051>
- 12/2015, M. Ruppert, M. Strebl, H.W. Höppel, M. Göken, Mechanical properties of ultrafine-grained AlZnMg(Cu)-alloys AA7020 and AA7075 processed by accumulative roll bonding. In: *J. Mater. Sci.* 50, (2015), 4422-4429, <http://dx.doi.org/10.1007/s10853-015-9008-y>
- 13/2015, I. Lopez-Galilea, C. Zenk, S. Neumeier, S. Huth, W. Theisen, M. Göken, The Thermal Stability of Intermetallic Compounds in an As-Cast SX Co-Base Superalloy. In: *Adv. Eng. Mater.* 17, (2015), 741-747, <http://dx.doi.org/10.1002/adem.201400249>
- 14/2015, A. Bauer, S. Neumeier, F. Pyczak, M. Göken, Influence of Iridium on the Properties of gamma '-Strengthened Co-Base Superalloys. In: *Adv. Eng. Mater.* 17, (2015), 748-754, <http://dx.doi.org/10.1002/adem.201400266>
- 15/2015, Z. Sun, S. Van Petegem, A. Cervellino, K. Durst, W. Blum, H. Van Swygenhoven, Dynamic recovery in nanocrystalline Ni. In: *Acta Mater.* 91, (2015), 91-100, <http://dx.doi.org/10.1016/j.actamat.2015.03.033>
- 16/2015, M. Ruppert, L.P. Freund, T. Wenzl, H.W. Höppel, M. Göken, Ultrafine-Grained Austenitic Stainless Steels X4CrNi18-12 and X8CrMnNi19-6-3 Produced by Accumulative Roll Bonding. In: *Metals* 5, (2015), 730-742, <http://dx.doi.org/10.3390/met5020730>
- 17/2015, T. Klöffel, E. Bitzek, B. Meyer, Impact of twin boundaries on bulk elastic constants: Density-functional theory data for Young's modulus of Ag. In: *Data in Brief* 3, (2015), 209-215, <http://dx.doi.org/10.1016/j.dib.2015.03.005>
- 18/2015, A. Prakash, J. Guérolé, J. Wang, J. Müller, E. Spiecker, M.J. Mills, I. Povstugar, P. Choi, D. Raabe, E. Bitzek, Atom probe informed simulations of dislocation-precipitate interactions reveal the importance of local interface curvature. In: *Acta Mater.* 92, (2015), 33-45, <http://dx.doi.org/10.1016/j.actamat.2015.03.050>
- 19/2015, A. Kobler, T. Beuth, T. Klöffel, R. Prang, M. Moosmann, T. Scherer, S. Walheim, H. Hahn, C. Kübel, B. Meyer, T. Schimmel, E. Bitzek, Nanotwinned silver nanowires: Structure and mechanical properties. In: *Acta Mater.* 92, (2015), 299-308, <http://dx.doi.org/10.1016/j.actamat.2015.02.041>
- 20/2015, V. Maier, C. Schunk, M. Göken, K. Durst, Microstructure-dependent deformation behaviour of bcc-metals - indentation size effect and strain rate sensitivity. In: *Phil. Mag.* 95, (2015), 1766-1779, <http://dx.doi.org/10.1080/14786435.2014.982741>
- 21/2015, B. Merle, D. Cassel, M. Göken, Time-dependent deformation behavior of freestanding and SiNx-supported gold thin films investigated by bulge tests. In: *J. Mater. Res.* 30, (2015), 2161-2169, <http://dx.doi.org/10.1557/jmr.2015.184>
- 22/2015, M. Göken, U. Glatzel, "DFG Research Training Group 1229 ""Stable and Metastable Multi-Phase Systems for Elevated Service Temperatures""". In: *Adv. Eng. Mater.* 17, (2015), 1096-1098, <http://dx.doi.org/10.1002/adem.201500330>
- 23/2015, L. Freund, A. Bauer, L. Benker, S. Neumeier, M. Göken, Formation of Cuboidal Co₃AlC Precipitates in Carbon-Containing Co-Al-W-Based Superalloys. In: *Adv. Eng. Mater.* 17, (2015), 1113-1118, <http://dx.doi.org/10.1002/adem.201500171>
- 24/2015, P. Terberger, D. Sebold, R. Webler, M. Ziener, S. Neumeier, L. Klein, S. Virtanen, M. Göken, R. Vaßen, Isothermal aging of a gamma '-strengthened Co-Al-W alloy coated with vacuum plasma-sprayed MCrAlY bond coats. In: *Surf. Coat. Technol.* 276, (2015), 360-367, <http://dx.doi.org/10.1016/j.surfcoat.2015.06.048>

- 25/2015, J. Koßmann, C. H. Zenk, I. Lopez-Galilea, S. Neumeier, A. Kostka, S. Huth, W. Theisen, M. Göken, R. Drautz, T. Hammerschmidt, Microsegregation and precipitates of an as-cast Co-based superalloy-microstructural characterization and phase stability modelling. In: *J. Mater. Sci.* 50, (2015), 6329-6338, <http://dx.doi.org/10.1007/s10853-015-9177-8>
- 26/2015, W. Blum, J. Dvorak, P. Kral, P. Eisenlohr, V. Sklenicka, Correct Interpretation of Creep Rates: A Case Study of Cu. In: *J. Mater. Sci. Technol.* 31, (2015), 1065-1068, <http://dx.doi.org/10.1016/j.jmst.2015.09.012>
- 27/2015, F. Niekel, E. Spieker, E. Bitzek, Influence of anisotropic elasticity on the mechanical properties of fivefold twinned nanowires. In: *J. Mech. Phys. Solids* 84, (2015), 358-379, <http://dx.doi.org/10.1016/j.jmps.2015.08.004>
- 28/2015, W. Blum, J. Dvorak, P. Kral, M. Petrenec, P. Eisenlohr, V. Sklenicka, In situ study of microstructure and strength of severely predeformed pure Cu in deformation at 573K. In: *Phil. Mag. A* 95, (2015), 3696-3711, <http://dx.doi.org/10.1080/14786435.2015.1096025>
- 29/2015, S. Neumeier, L. Freund, M. Göken, Novel wrought gamma/gamma ' cobalt base superalloys with high strength and improved oxidation resistance. In: *Scripta Mater.* 109, (2015), 104-107, <http://dx.doi.org/10.1016/j.scriptamat.2015.07.030>
- 30/2015, M. Schweiger, M. Schaudig, F. Gannott, M. S. Killian, E. Bitzek, P. Schmuki, J. Zaumseil, Controlling the diameter of aligned single-walled carbon nanotubes on quartz via catalyst reduction time. In: *Carbon* 95, (2015), 452-459, <http://dx.doi.org/10.1016/j.carbon.2015.08.058>
- 31/2015, J.J. Möller, E. Bitzek, On the influence of crack front curvature on the fracture behavior of nanoscale cracks. In: *Eng. Frac. Mech.* 150, (2015), 197-208, <http://dx.doi.org/10.1016/j.engfracmech.2015.03.028>
- 32/2015, W. Blum, P. Eisenlohr, M. Prell, K. Durst, Thermally activated flow in soft and hard regions: Getting information on work hardening strain and recovery strain from rate change tests. In: *Kovove Mater.* 53, (2015), 199-205, http://dx.doi.org/10.4149/km_2015_4_199
- 33/2015, G. Bei, B. J. Pedimonte, M. Pezoldt, J. Ast, Crack healing in Ti₂Al_{0.5}Sn_{0.5}C-Al₂O₃ composites. In: *Journal of the American Ceramic Society* 98 (2015), 1604-1610, <http://dx.doi.org/10.1111/jace.13496>

2016

- 1/2016, C. Zenk, S. Neumeier, N. Engl, S. G. Fries, O. Dolotko, M. Weiser, S. Virtanen, M. Göken, Intermediate Co/Ni-base model superalloys — Thermophysical properties, creep and oxidation. In: *Scripta Mater.* 112, (2016), 83-86, <http://dx.doi.org/10.1016/j.scriptamat.2015.09.018>
- 2/2016, M. Ruppert, C. Schunk, D. Hausmann, H.W. Höppel, M. Göken, Global and local strain rate sensitivity of bimodal Al-laminates produced by accumulative roll bonding. In: *Acta Mater.* 103, (2016), 643-650, <http://dx.doi.org/10.1016/j.actamat.2015.11.009>
- 3/2016, J. Luo, J. Wang, E. Bitzek, J. Y. Huang, H. Zheng, L. Tong, Q. Yang, J. Li, S. X. Mao, Size-Dependent Brittle-to-Ductile Transition in Silica Glass Nanofibers. In: *Nano Lett.* 16, (2016), 105 - 113, <http://dx.doi.org/10.1021/acs.nanolett.5b03070>
- 4/2016, S. Neumeier, H.U. Rehman, J. Neuner, C.H. Zenk, S. Michel, S. Schuwalow, J. Rogal, R. Drautz, M. Göken, Diffusion of solutes in fcc Cobalt investigated by diffusion couples and first principles kinetic Monte Carlo. In: *Acta Mater.* 106, (2016), 304 - 312, <http://dx.doi.org/10.1016/j.actamat.2016.01.028>
- 5/2016, T.M. Kaub, P.Felfer, J.M. Cairney, G.B. Thompson, Influence of Ni Solute segregation on the intrinsic growth stresses in Cu(Ni) thin films. In: *Scripta Mater.* 113 (2016) 131-134, <http://dx.doi.org/10.1016/j.scriptamat.2015.10.010>
- 6/2016, Christopher H. Zenk, Alexander Bauer, Philip Goik, Steffen Neumeier, Howard J. Stone, Mathias Göken, Microstructure, Lattice Misfit, and High-Temperature Strength of γ' -Strengthened Co-Al-W-Ge Model Superalloys. In: *The Minerals, Metals &*

- 7/2016, A. Prakash, M.Hummel, S.Schmauder, E.Bitzek, NanoSCULPT: A methodology for generating complex realistic configurations for atomistic simulations. In: *MethodsX* 3 (2016) 219–230, <http://dx.doi.org/10.1016/j.mex.2016.03.002>
- 8/2016, Johannes J.Möller, ErikBitzek, BDA: A novel method for identifying defects in body-centered cubic crystals. In: *MethodsX* 3(2016)279–288, <http://dx.doi.org/10.1016/j.mex.2016.03.013>
- 9/2016, M. Bestmann, G. Pennacchioni, S. Mostefaoui, M. Göken, H. de Wall, Instantaneous healing of micro-fractures during coseismic slip: Evidence from microstructure and Ti in quartz geochemistry within an exhumed pseudotachylyte-bearing fault in tonalite. In: *Lithos* 254–255 (2016) 84–93, <http://dx.doi.org/10.1016/j.lithos.2016.03.011>
- 10/2016, W. Blum, P. Eisenlohr, J. Hu , Interpretation of unloading tests on nanocrystalline Cu in terms of two mechanisms of deformation. In: *Materials Science&EngineeringA665(2016)171–174*, <http://dx.doi.org/10.1016/j.msea.2016.04.013>
- 11/2016, H. Javed, B. Merle, E. Preiß, R. Hivet, A. Benedetto, M. Göken, Mechanical characterization of metallic thin films by bulge and scratch testing. In: *Surface & Coatings Technology* 289 (2016) 69–74, <http://dx.doi.org/10.1016/j.surfcoat.2016.01.051>
- 12/2016, F. Kümmel, M. Kreuz, T. Hausöl, H. W. Höppel, M. Göken, Microstructure and Mechanical Properties of Accumulative Roll-Bonded AA1050A/AA5005 Laminated Metal Composites. In: *Metals* 2016, 6, 56, <http://dx.doi.org/10.3390/met6030056>
- 13/2016, M. Kolb, J.M.Wheeler, H.N.Mathur, S.Neumeier, S.Korte-Kerzel, F. Pyczak, J. Michler, M.Göken, Local mechanical properties of the (?0+?0) composite in multiphase titanium aluminides studied with nanoindentation at room and high temperatures. In: *Materials Science & Engineering A665(2016)135–140*, <http://dx.doi.org/10.1016/j.msea.2016.04.026>
- 14/2016, I. Povstugar, C. H. Zenk, R. Li, P.-P. Choi, S. Neumeier, O. Dolotko, M. Hoelzel, M. Göken and D. Raabe, Elemental partitioning, lattice misfit and creep behaviour of Cr containing ? strengthened Co base superalloys. In: *Materials Science and Technology* 2016 VOL 32 NO 3, <http://dx.doi.org/10.1179/1743284715Y.0000000112>
- 15/2016, M. Mackovi, F. Niekiel, L.Wondraczek, E. Bitzek, E. Spiecker, In situ mechanical quenching of nanoscale silica spheres in the transmission electron microscope. In: *Scripta Materialia* 121 (2016) 70–74, <http://dx.doi.org/10.1016/j.scriptamat.2016.04.019>
- 16/2016, H. Nguyen, W. Böhm, I. Tsoupis, M. Göken, H. W. Höppel, C. Schmidt, T. Hausöl, M. Ruppert, M. Merklein, Tailored heat treated accumulative roll bonded aluminum blanks: failure under bending stresses. In: *Production Engineering. Research and Development (Prod Eng Res Dev)*, <http://dx.doi.org/10.1007/s11740-016-0685-4>
- 17/2016, F. Brenne, A. Taube, M. Pröbstle, S. Neumeier, D. Schwarze, M. Schaper, T. Niendorf, Microstructural design of Ni-base alloys for high-temperature applications: impact of heat treatment on microstructure and mechanical properties after selective laser melting. In: *Progress in Additive Manufacturing (Prog Addit Manuf) - Springer*, <http://dx.doi.org/10.1007/s40964-016-0013-8>
- 18/2016, H. Mughrabi, The a-factor in the Taylor flow-stress law in monotonic, cyclic and quasi stationary deformations: Dependence on slip mode, dislocation arrangement and density. In: *Curr. Opin. Solid State Mater. Sci.* (2016), <http://dx.doi.org/10.1016/j.cossms.2016.07.001>
- 19/2016, M. Pröbstle, S.Neumeier, J.Hopfenmüller, L.P.Freund, T.Niendorf, D.Schwarze, M. Göken, Superior creep strength of a nickel-based super alloy produced by selective laser melting. In: *Materials Science & Engineering A674* (2016) 299–307, <http://dx.doi.org/10.1016/j.msea.2016.07.061>
- 20/2016, T. Hammerschmidt, J.Koßmann, C.H. Zenk, S. Neumeier, M. Göken, I. Lopez Galilea, L. Mujica Roncery, S. Huth, A.Kostka, W.Theisen and R. Drautz1, The Role of Local Chemical Composition for TCP Phase Precipitation in Ni-Base and Co-Base Superalloys. In: *TMS (The Minerals, Metals & Materials Society)*, 2016
- 21/2016, D. Huenert, M. Proebstle, A. Casanova, R. Schluetter, R. Krakow, M. Buescher, P. Randelzhofer, A. Evans, K. Loehnert,

- T. Witulski, S. Neumeier, C. Rae, ATI718PLUS® - New Nickel Based Disc Alloy and its Capability. In: TMS (The Minerals, Metals & Materials Society), 2016
- 22/2016, C.H. Zenk, S. Neumeier, M. Kolb, N. Volz, S.G. Fries, O. Dolotko, I. Povstugar, D. Raabe, M. Göken, The Role of Base Element in gamma' Strengthened Cobalt/Nickel Base Superalloys. In: TMS (The Minerals, Metals & Materials Society), 2016
- 23/2016, M. Pröbstle, S. Neumeier, P. Feldner, R. Rettig, H.E. Helmer, R.F. Singer, M. Göken, Improved creep strength of nickel-base superalloys by optimized γ/γ' partitioning behavior of solid solution strengthening elements. In: Materials Science & Engineering A676 (2016) 411–420, <http://dx.doi.org/10.1016/j.msea.2016.08.121>
- 24/2016, J. Bach, J.J. Möller, M. Göken, E. Bitzek, H.W. Höppel, On the transition from plastic deformation to crack initiation in the high- and very high-cycle fatigue regimes in plain carbon steels. In: International Journal of Fatigue 93 (2016), 281-291, <http://dx.doi.org/10.1016/j.ijfatigue.2016.04.003>
- 25/2016, W.G. Nöhring, J. Möller, Z. Xie, E. Bitzek, Wedge-shaped twins and pseudoelasticity in fcc metallic nanowires under bending. In: Extreme Mechanics Letters 8 (2016) 140–150, <http://dx.doi.org/10.1016/j.eml.2016.03.001>
- 26/2016, J. Ast, Benoit Merle, Karsten Durst, Mathias Göken, Fracture toughness evaluation of NiAl single crystals by microcantilevers – a new continuous J-integral method. In: Journal of Materials Research 31 (2016), 3786-3794, <http://dx.doi.org/10.1557/jmr.2016.393>
- 27/2016, J.P. Liebig, M. Göken, G. Richter, M. Mackowi?, T. Przybilla, E. Spiecker, O.N. Pierron, B. Merle, A flexible method for the preparation of thin film samples for in situ TEM characterization combining shadow-FIB milling and electron-beam-assisted etching. In: Ultramicroscopy 171, (2016) 82-88, <http://dx.doi.org/10.1016/j.ultramic.2016.09.004>
- 28/2016, X. Ma, Cx. Huang, J. Moering, M. Ruppert, H.W. Höppel, M. Göken, J. Narayan, Yt. Zhu, Mechanical properties of cop-per/bronze laminates: Role of interfaces. In: Acta Materialia 116, (2016), 43-52, <http://dx.doi.org/10.1016/j.actamat.2016.06.023>
- 29/2016, F. Kümmel, T. Hausöl, H.W. Höppel, M. Göken, Enhanced fatigue lives in AA1050A/AA5005 laminated metal composites produced by accumulative roll bonding. In: Acta Materialia 120, (2016), 150-158, <http://dx.doi.org/10.1016/j.actamat.2016.08.039>
- 30/2016, B. Merle, K.S. Nicholson, E.G. Herbert, M. Göken, An improved method for point deflection measurements on rectangular membranes. In: Materials & Design 109, (2016), 485-491, <http://dx.doi.org/10.1016/j.matdes.2016.07.054>
- 31/2016, P. Felfer, J. Cairney, A computational geometry framework for the optimization of atom probe reconstructions. In: Ultramicroscopy 169, (2016), 62-68, <http://dx.doi.org/10.1016/j.ultramic.2016.07.008>
- 32/2016, J.J. Möller, A. Prakash, E. Bitzek, In Multiscale Materials Modeling: Approaches to Full Multiscale. In: De Gruyter, Berlin
- 33/2016, H. Mughrabi, S. Antolovich, A tribute to Claude Bathias – Highlights of his pioneering work in Gigacycle Fatigue. In: International Journal of Fatigue 93 (2016) 217-223, <http://dx.doi.org/10.1016/j.ijfatigue.2016.04.020>
- 34/2016, S. D. Antolovich, H. Mughrabi, In Memoriam Claude Bathias 1938–2015. In: International Journal of Fatigue 93 (2016) 215, <http://dx.doi.org/10.1016/j.ijfatigue.2016.03.007>
- 35/2016, V. Favier, A. Blanche, C. Wang, N. L. Phung, N. Ranc, D. Wagner, C. Bathias, A. Chrysochoos, H. Mughrabi, Very high cycle fatigue for single phase ductile materials: Comparison between γ -iron, copper and γ -brass polycrystals. In: International Journal of Fatigue 93 (2016) 326-338, <http://dx.doi.org/10.1016/j.ijfatigue.2016.05.034>
- 36/2016, M.-R. He, S.K. Samudrala, G. Kim, P. Felfer, A.J. Breen, J. Cairney, D.S. Gianola, Linking stress-driven microstructural

evolution in nanocrystalline aluminium with grain boundary doping of oxygen. In: Nature Communications 7 (11225), (2016), 1-9, <http://dx.doi.org/10.1038/ncomms11225>

37/2016, P. Felfer, I. McCarroll, C. Macauley, J. Cairney, A simple approach to atom probe sample preparation by using shadow masks. In: Ultramicroscopy 160, (2016), 163-167, <http://dx.doi.org/10.1016/j.ultramic.2015.09.005>

38/2016, K. Eder, P. Felfer, M. Ferry, K. Xia, J. Cairney, Grain size stability in Al-Sc alloys processed by severe plastic deformation. In: Scripta Materialia 123, (2016), 105-108, <http://dx.doi.org/10.1016/j.scriptamat.2016.06.005>

39/2016, P. Altieri-Weimar, W. Yuan, E.S. Annibale, S. Schoemaker, S. D. Amberger, M. Göken, H.W. Höppel, Reliability model of LED package regarding the fatigue behavior of gold wires. In: 17th International Conference on Thermal, Mechanical and Multi-Physics Simulation and Experiments in Microelectronics and Microsystems, EuroSimE, (2016), 1-6, <http://dx.doi.org/10.1109/EuroSimE.2016.7463326>

40/2016, J. Guérolé, A. Prakash, E. Bitzek, Influence of intrinsic strain on irradiation induced damage: the role of threshold displacement and surface binding energies. In: Materials and Design 111, (2016), 405-413, <http://dx.doi.org/10.1016/j.matdes.2016.08.077>

41/2016, A.M. Korsunsky, J. Guérolé, E. Salvati, T. Sui, M. Mousavi, A. Prakash, E. Bitzek, Quantifying eigenstrain distributions induced by focused ion beam damage in silicon. In: Materials Letters 185, (2016), 47-49, <http://dx.doi.org/10.1016/j.matlet.2016.08.111>

42/2016, M. Krottenthaler, L. Benker, M.Z. Mughal, M. Sebastiani, K. Durst, M. Göken, Effect of elastic anisotropy on strain relief and residual stress determination in cubic systems by FIB-DIC experiments. In: Materials and Design 112, (2016), 505-511, <http://dx.doi.org/10.1016/j.matdes.2016.09.046>

43/2016, H. Mughrabi, The a-factor in the Taylor flow-stress law in monotonic, cyclic and quasi-stationary deformations: Dependence on slip mode, dislocation arrangement and density. In: Current Opinion in Solid State and Materials Science 20 (2016) 411-420, <http://dx.doi.org/10.1016/j.cossms.2016.07.001>

2017

1/2017, L. P. Freund, O.M.D.M. Messé, J. S. Barnard, M. Göken, S. Neumeier, C. M.F. Rae, Segregation assisted microtwinning during creep of a polycrystalline L12-hardened Co-base superalloy. In: Acta Mat. 123 (2017) 295-304, <http://dx.doi.org/10.1016/j.actamat.2016.10.048>

2/2017, A. Prakash, E. Bitzek, Idealized vs. Realistic Microstructures: An Atomistic Simulation Case Study on γ/γ' Microstructures. In: Materials 10(1) (2017), 88, <http://dx.doi.org/10.3390/ma10010088>

3/2017, M. Zietara, S. Neumeier, M. Göken, A. Czyrska-Filemonowicz, Characterization of γ and γ' Phases in 2nd and 4th Generation Single Crystal Nickel-Base Superalloys. In: Met. Mater. Int. 23(1) (2017)126-131, <http://dx.doi.org/10.1007/s12540-017-6109-y>

4/2017, F. Iqbal, F. Pyczak, S. Neumeier, M. Göken, Crack nucleation and elastic / plastic deformation of TiAl alloys investigated by in-situ loaded atomic force microscopy. In: Mat. Sci. Eng. A 689 (2017), 11-16, <http://dx.doi.org/10.1016/j.msea.2017.02.017>

5/2017, J. Guérolé, A. Prakash, E. Bitzek, Atomistic simulations of focused ion beam machining of strained silicon. In: Applied Surface Science 416 (2017), 86-95, <http://dx.doi.org/10.1016/j.apsusc.2017.04.027>

6/2017, Y. Xiao, J. Wehrs, H. Ma, T. Al-Samman, S. Korte-Kerzel, M. Göken, J. Michler, R. Spolenak, J.M. Wheeler, Investigation of the deformation behavior of aluminum micropillars produced by focused ion beam machining using Ga and Xe ions. In: Scripta Materialia 127 (2017), 191-194, <http://dx.doi.org/10.1016/j.scriptamat.2016.08.028>

- 7/2017, C. Fischer, A. Seefried, B. Merle, M. Göken, D. Drummer, Influencing hardness and wear during the dynamic tempered microinjection molding process by considering isothermal holding time. In: *Polymer Engineering and Science* 57 (2) (2017), 121-128, <http://dx.doi.org/10.1002/pen.24394>
- 8/2017, P. Feldner, B. Merle, M. Göken, Determination of the strain-rate sensitivity of ultrafine-grained materials by spherical nanoindentation. In: *Journal of Materials Research* 32 (8) (2017), 1466-1473, <http://dx.doi.org/10.1557/jmr.2017.69>
- 9/2017, E. I. Preiß, B. Merle, M. Göken, Understanding the extremely low fracture toughness of freestanding gold thin films by in-situ bulge testing in an AFM. In: *Materials Science and Engineering A* 691 (2017), 218-225, <http://dx.doi.org/10.1016/j.msea.2017.03.037>
- 10/2017, F. Kümmel, T.-S. Tegtmeier, H.W. Höppel, M. Göken, Optimized layer architecture for an extended fatigue life of ultrafine-grained AA1050/AA5005 laminated metal composites. In: *IOP Conference Series: Materials Science and Engineering* 194 (1) (2017), 1-6
- 11/2017, B. Merle, V. Maier-Kiener, G.M. Pharr, Influence of modulus-to-hardness ratio and harmonic parameters on continuous stiffness measurement during nanoindentation. In: *Acta Materialia* 134 (2017), 167-176, <http://dx.doi.org/10.1016/j.actamat.2017.05.036>
- 12/2017, C.H. Zenk, I. Povstugar, R. Li, F. Rinaldi, S. Neumeier, D. Raabe, M. Göken, A novel type of Co–Ti–Cr-base γ/γ' superalloys with low mass density. In: *Acta Materialia* 135 (2017), 244-251, <http://dx.doi.org/10.1016/j.actamat.2017.06.024>
- 13/2017, S. Shrestha, R. Fischer, G. J. Matt, P. Feldner, T. Michel, A. Osvet, I. Levchuk, B. Merle, S. Golkar, H. Chen, S. F. Tedde, O. Schmidt, R. Hock, M. Rührig, M. Göken, W. Heiss, G. Anton, C. J. Brabec, High performance direct X-ray detectors based on sintered hybrid lead triiodide perovskite wafers. In: *Nature Photonics* 11 (2017), 436-440, <http://dx.doi.org/10.1038/nphoton.2017.94>
- 14/2017, A. Prakash, D. Weygand, E. Bitzek, Influence of grain boundary structure and topology on the plastic deformation of nanocrystalline aluminum as studied by atomistic simulations. In: *International Journal of Plasticity* 97 (2017), 107-125, <http://dx.doi.org/10.1016/j.ijplas.2017.05.011>
- 15/2017, M. Mousavi, J. Guérolé, P. Baranova, E. Bitzek, A. M. Korsunsky, Atomistic Simulation of Cracks versus Generalized Continua. In: 14th International Conference on Fracture (ICF 14)
- 16/2017, E. Bitzek, P. Baranova and J.J. Möller, 3D Aspects of Fracture and Effects due to Crack Front Curvature. In: 14th International Conference on Fracture (ICF 14)
- 17/2017, P.N. Baranova and E. Bitzek, Influence of Atomic-scale Heterogeneties on Fracture Behavior of B2 NiAl. In: 14th International Conference on Fracture (ICF 14)
- 18/2017, P. Král, J.Dvorak, M. Kvapilová, W. Blum, V. Sklenicka, The influence of long-term annealing at room temperature on creep behaviour of ECAP-processed copper. In: *Materials Letters* 188 (2017), 235-238, <http://dx.doi.org/10.1016/j.matlet.2016.11.002>
- 19/2017, W. Blum, P. Eisenlohr, Deformation Strength of Nanocrystalline Thin Films. In: *Journal of Materials Science & Technology*, 33(7), 718-722, <http://dx.doi.org/10.1016/j.jmst.2016.11.025>
- 20/2017, W. Blum, P. Král, J.Dvorak, M. Petrevec, P. Eisenlohr, V. Sklenicka, In situ study of thermally activated flow and dynamic restoration of ultrafine-grained pure Cu at 373 K. In: *Journal of Materials Research* 34(3), 1-8, <http://dx.doi.org/10.1557/jmr.2017.343>
- 21/2017, P. Král, W. Blum, J.Dvorak, P. Eisenlohr, M. Petrevec, V. Sklenicka, Dynamic restoration of severely predeformed, ultrafine-grained pure Cu at 373K observed in situ. In: *Materials Characterization* 134 (2017) 329-334, <http://dx.doi.org/10.1016/j.matchar.2017.11.006>

- 22/2017, K. Leitner, P. Felfer, D. Holec, J. Cairney, W. Knabl, A. Lorich, H. Clemens, S. Primig, On grain boundary segregation in molybdenum materials. In: *Materials & Design* 135 (2017), 204-212, <http://dx.doi.org/10.1016/j.matdes.2017.09.019>
- 23/2017, K. Eder, P. Felfer, B. Gault, A.V. Ceguerra, A. La Fontaine, A.F. Masters, T. Maschmeyer, J.M. Cairney, A new approach to understand the adsorption of thiophene on different surfaces: An atom probe investigation of self-assembled monolayers. In: *Langmuir* 33.38 (2017), 9573-9581, <http://dx.doi.org/10.1021/acs.langmuir.7b01820>
- 24/2017, L. Wang, Zenk C, Stark A, Felfer P, Gabrisch H, Göken M, Lorenz U, Pyczak F, Morphology evolution of Ti₃AlC carbide precipitates in high Nb containing TiAl alloys. In: *Acta Materialia* 137 (2017), 36-44, <http://dx.doi.org/10.1016/j.actamat.2017.07.018>
- 25/2017, F. Mikschl, B. Merle, M. Baum, J. Heberle, M. Göken, M. Schmidt, Micromechanical characterization of laser consolidated nanoparticle ITO layers. In: *Thin Solid Films* 642 (2017), 214-218, <http://dx.doi.org/10.1016/j.tsf.2017.09.046>
- 26/2017, M. Ghanem, M. Göken, B. Merle, Plane-strain bulge testing of thin films under compressive residual stresses. In: *Surface and Coatings Technology* 327 (2017), 167-173, <http://dx.doi.org/10.1016/j.surfcoat.2017.08.004>
- 27/2017, J. Ast, M. Göken, K. Durst, Size-dependent fracture toughness of tungsten. In: *Acta Materialia* 138 (2017), 198-211, <http://dx.doi.org/10.1016/j.actamat.2017.07.030>
- 28/2017, B. Vierneusel, L. Benker, S. Tremmel, M. Göken, B. Merle, Isolating the effect of residual stresses on coating wear by a mechanical stress relaxation technique. In: *Thin Solid Films* 638 (2017), 159-166, <http://dx.doi.org/10.1016/j.tsf.2017.06.016>
- 29/2017, H. ur Rehman, K. Durst, S. Neumeier, A. Sato, R. Reed, M. Göken, On the temperature dependent strengthening of nickel by transition metal solutes. In: *Acta Materialia* 137 (2017), 54-63, <http://dx.doi.org/10.1016/j.actamat.2017.05.038>
- 30/2017, F. Kümmel, H.W. Höppel, M. Göken, Layer architecture and fatigue life of ultrafine-grained laminated metal composites consisting of different aluminum alloys. In: *Materials Science and Engineering: A* 702 (2017), 406-413, <http://dx.doi.org/10.1016/j.msea.2017.06.105>
- 31/2017, M. Kolb, C.H. Zenk, A. Kirzinger, I. Povstugar, D. Raabe, S. Neumeier, M. Göken, Influence of rhenium on γ -strengthened cobalt-base superalloys. In: *Journal of Materials Research* 32(13) (2017), 2551-2559, <http://dx.doi.org/10.1557/jmr.2017.242>
- 32/2017, H. W. Höppel, P. Goik, C. Krechel M. Göken, Ex and in situ investigations on the role of persistent slip bands and grain boundaries in fatigue crack initiation. In: *Journal of Materials Research* (2017), , <http://dx.doi.org/10.1557/jmr.2017.313>
- 33/2017, H.W. Höppel , *Ultrafine-grained Metals* [ISDBN: 978-3-03842-524-3 (paperback), ISDBN: 978-3-03842-525-0]. In: MDPI Basel
- 34/2017, F. Gulden, A. Stich, S. Gramstat, H.W. Höppel, M. Göken, Fundamental Investigations of Aluminium Matrix Composite Brake Rotors for the Use in Passenger Cars. In: *EuroBreak 2017 (EB2017-MDS-026)*
- 35/2017, L.P. Freund, S. Giese, D. Schwimmer, H.W. Hoeppe, S. Neumeier, M. Göken, High temperature properties and fatigue strength of novel wrought γ/γ' Co-base superalloys. In: *Journal of Materials Research* 32 (24) (2017), 4475-4482, <http://dx.doi.org/10.1557/jmr.2017.315>

2018

- 1/2018, B. Merle, H.W. Höppel, Microscale High-Cycle Fatigue Testing by Dynamic Micropillar Compression Using Continuous Stiffness Measurement. In: *Experimental Mechanics* 58(3) (2018), 465-474, <http://dx.doi.org/10.1007/s11340-017-0362-3>
- 2/2018, F. Xue, C. H. Zenk, L. P. Freund, M. Hoelzel, S. Neumeier, M. Göken, Double minimum creep in the rafting regime of a

- single-crystal Co-base superalloy. In: *Scripta Materialia* 142 (2018), 129-132, <http://dx.doi.org/10.1016/j.scriptamat.2017.08.039>
- 3/2018, W. Blum, Discussion: activation volumes of plastic deformation of crystals. In: *Scripta Materialia* 146 (2018), 27-30, <http://dx.doi.org/10.1016/j.scriptamat.2017.10.029>
- 4/2018, M.Kolb, L.P. Freund, F. Fischer, I. Povstugar, S.K. Makineni, B. Gault, D. Raabe, J. Müller, E. Spiecker, S. Neumeier, M. Göken, On the grain boundary strengthening effect of boron in γ/γ' Cobaltbase superalloys. In: *Acta Materialia* 145 (2018), 247-254, <http://dx.doi.org/10.1016/j.actamat.2017.12.020>
- 5/2018, A. E. Medvedev, R. Lapovok, E. Koch, H.W. Höppel, M. Göken, Optimisation of interface formation by shear inclination: Example of aluminium-copper hybrid produced by ECAP with back-pressure. In: *Materials and Design* 146 (2018), 142-151, <http://dx.doi.org/10.1016/j.matdes.2018.03.021>
- 6/2018, B. Merle, X. Kaus, M. Tallawi, A.R. Boccaccini, M. Göken, Dynamic mechanical characterization of poly(glycerol sebacate)/poly(butylene succinate-butylene dilinoleate) blends for cardiac tissue engineering by flat punch nanoindentation. In: *Materials Letters* 221 (2018), 115-118, <http://dx.doi.org/10.1016/j.matlet.2018.03.051>
- 7/2018, L.P. Freund, A. Stark, F. Pyczak, N. Schell, M. Göken, S. Neumeier, The grain boundary pinning effect of the η phase in an advanced polycrystalline γ/γ' Co-base superalloy. In: *Journal of Alloys and Compounds* 753 (2018), 333-342, <http://dx.doi.org/10.1016/j.jallcom.2018.04.204>
- 8/2018, L.P. Freund, A. Stark, A. Kirchmayer, N. Schell, F. Pyczak, M. Göken, S. Neumeier, The effect of a grain boundary pinning β_2 phase on polycrystalline Co-based superalloys with reduced density. In: *Met. Mat. Trans A* (2018) 1-19, <http://dx.doi.org/doi.org/10.1007/s11661-018-4757-2>
- 9/2018, P. Feldner, B. Merle, M. Göken, Superplastic deformation behavior of Zn-22% Al alloy investigated by nanoindentation at elevated temperatures. In: *Materials and Design* 153 (2018), 71-79, <http://dx.doi.org/10.1016/j.matdes.2018.05.008>
- 10/2018, C.M. Barr, P.J.Felfer, J.I. Cole, M.L Taheri, Observation of oscillatory radiation induced segregation profiles at grain boundaries in neutron irradiated 316 stainless steel using atom probe tomography. In: *Journal of Nuclear Materials* 504 (2018), 181-190, <http://dx.doi.org/10.1016/j.jnucmat.2018.01.053>
- 11/2018, P. Felfer, J. Cairney, Advanced concentration analysis of atom probe tomography data: Local proximity histograms and pseudo-2D concentration maps. In: *Ultramicroscopy* 189 (2018), 61-64, <http://dx.doi.org/10.1016/j.ultramic.2018.03.011>
- 12/2018, J.P. Liebig, S. Krauß, M. Göken, B. Merle, Influence of stacking fault energy and dislocation character on slip transfer at coherent twin boundaries studied by micropillar compression. In: *Acta Materialia* 145 (2018), 247-254, <http://dx.doi.org/10.1016/j.actamat.2018.05.037>
- 13/2018, F. Kümmel, B. Diepold, K.F. Sauer, C. Schunk, A. Prakash, H.W. Höppel, M. Göken, High Lightweight Potential of Ultrafine-Grained Aluminum/Steel Laminated Metal Composites Produced by Accumulative Roll Bonding. In: *Advanced Engineering Materials*, <http://dx.doi.org/10.1002/adem.201800286>
- 14/2018, N. Volz, C.H. Zenk, M.Lenz, S. Virtanen, E. Spieker, S. Neumeier, M. Göken, Thermophysical and Mechanical Properties of Advanced Single Crystalline Co-base Superalloys. In: *Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science* (2018), 1-11, <http://dx.doi.org/10.1007/s11661-018-4705-1>
- 15/2018, T. Li, Ö. Kasian, P. Felfer, Atomic-scale insights into surface species of electrocatalysts in three dimensions. In: *Nature Catalysis* 1 (4) (2018), 300-305, <http://dx.doi.org/10.1038/s41929-018-0043-3>
- 16/2018, S.K. Makineni, M. Lenz, C.Zenk, S. Neumeier, E. Spieker, D. Raabe, On the diffusive phase transformation mechanism assisted by extended dislocations during creep of a single crystal CoNi-based superalloy. In: *Acta Materialia* 155 (2018), 362-371, <http://dx.doi.org/10.1016/j.actamat.2018.05.074>

- 17/2018, N.H. Khansur, U. Eckstein, L. Benker, U. Deisinger, B. Merle, K.G. Webber, Room temperature deposition of functional ceramic films on low-cost metal substrate. In: *Ceramics International* (2018), <http://dx.doi.org/10.1016/j.ceramint.2018.06.027>
- 18/2018, A.-C.L. Kimmel, T.F. Malkowski, S. Griffiths, B. Hertweck, T.G. Steigerwald, L.P. Freund, S. Neumeier, M. Göken, J.S. Speck, E. Schluecker, High-temperature corrosion of Inconel®Alloy 718, Haynes®282®Alloy and CoWAlloy1&2 in supercritical ammonia/ammonium chloride solution. In: *Journal of Crystal Growth* 498 (2018) 289–300, <http://dx.doi.org/10.1016/j.jcrysgro.2018.06.018>
- 19/2018, M.Cartón-Cordero, M. Campos, L.P. Freund, M. Kolb, S. Neumeier, M. Göken, J.M. Torralba, Microstructure and compression strength of Co-based superalloys hardened by γ' and carbide precipitation. In: *Materials Science & Engineering A* 734 (2018), 437-444, <http://dx.doi.org/10.1016/j.msea.2018.08.007>
- 20/2018, F. Kümmel, B. Diepold, A. Prakash, H.W. Höppel, M. Göken, Enhanced monotonic and cyclic mechanical properties of ultrafine-grained laminated metal composites with strong and stiff interlayers. In: *International Journal of Fatigue* 116 (2018) 379-387, <http://dx.doi.org/https://doi.org/10.1016/j.ijfatigue.2018.06.043>
- 21/2018, C.X. Huang, Y.F. Wang, X.L. Ma, S. Yin, H.W. Höppel, M. Göken, X.L. Wu, H.J. Gao, Y.T. Zhu, Interface affected zone for optimal strength and ductility in heterogeneous laminate. In: *Materials Today* 21, (2018), 713-719, <http://dx.doi.org/10.1016/j.mattod.2018.03.006>
- 22/2018, F. Houllé, F. Walsh, A. Prakash, E. Bitzek, Atomistic Simulations of Compression Tests on γ -Precipitate Containing Ni₃Al Nanocubes.. In: *Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science* 49 (9) (2018), 4158-4166, <http://dx.doi.org/10.1007/s11661-018-4706-0>
- 23/2018, J.J.Möller, E.Bitzek, R. Janisch, H. ul Hassan, A. Hartmaier, Fracture ab initio: A force-based scaling law for atomistically informed continuum models. In: *Journal of Materials Research* 33 (2018), 3750-3761, <http://dx.doi.org/10.1557/jmr.2018.384>
- 24/2018, F. Gulden, S. Gramstat, A. Stich, H.W. Höppel, U. Tetzlaff, Properties and Limitation of an Oxide Coated Aluminum Brake Rotor. In: *SAE Technical Paper 2018-01-1877* (2018), <http://dx.doi.org/10.4271/2018-01-1877>
- 25/2018, S. K. Makineni, M. Lenz, S. Neumeier, E. Spiecker, D. Raabe, B. Gault, Elemental segregation to antiphase boundaries in a crept CoNi-based single crystal superalloy. In: *Scripta Materialia* 157 (2018) 62-66, <http://dx.doi.org/10.1016/j.scriptamat.2018.07.042>
- 26/2018, S. K. Makineni, M. Lenz, P. Kontis, P.J. Felfer, S. Neumeier, M. Herbig, E. Spieker, D. Raabe, B. Gault, Correlative Microscopy—Novel Methods and Their Applications to Explore 3D Chemistry and Structure of Nanoscale Lattice Defects: A Case Study in Superalloys. In: *JOM*, 70 (2018), 1736-1743, <http://dx.doi.org/10.1007/s11837-018-2802-7>
- 27/2018, C. A.Macauley, A.N. Fernandez, J.S. Van Sluytman,, C.G. Levi, Phase equilibria in the ZrO₂-YO_{1.5}-TaO_{2.5} system at 1250 °C. In: *Journal of the European Ceramic Society* 38 (2018), 4523-4532, <http://dx.doi.org/10.1016/j.jeurceramsoc.2018.06.010>
- 28/2018, W. Blum, J. Dvorak, P. Kral, V. Sklenicka, Dynamic grain coarsening in creep of pure Cu at 0.42T_m after predeformation by ECAP. In: *Materials Science & Engineering A* 731 (2018), 520-529, <http://dx.doi.org/10.1016/j.msea.2018.05.026>
- 29/2018, J.J. Möller, M. Mrovec, I. Bleskov, J. Neugebauer, T. Hammerschmidt, R. Drutz, C. Elsässer, T. Hickel, E. Bizek, {110} planar faults in strained bcc metals: Origins and implications of a commonly observed artifact of classical potentials. In: *Physical Review Materials* 2, 093606 (2018), <http://dx.doi.org/10.1103/PhysRevMaterials.2.093606>
- 30/2018, J. Bach, H.W. Höppel, M. Göken, Fatigue of low alloyed carbon steels in the HCF/VHCF-regimes: Experimental Techniques, Mechanisms, Modeling and Fatigue Life Assessment. In: *Fatigue of Materials at Very High Numbers of Loading Cycles - Experimental Techniques, Mechanisms, Modeling and Fatigue Life Assessment* Ed. HJ Christ, Springer,(2018), 1-23, http://dx.doi.org/10.1007/978-3-658-24531-3_1

31/2018, J.J. Möller, E. Bitzek, Atomic-scale modeling of elementary processes during the fatigue of metallic materials: from crack initiation to crack-microstructure interactions. In: *Fatigue of Materials at Very High Numbers of Loading Cycles - Experimental Techniques, Mechanisms, Modeling and Fatigue Life Assessment* Ed. HJ Christ, Springer,(2018), 25-48

32/2018, I. McCarroll, B. Scherrer, P. Felfer, Interpreting Atom Probe Data from Oxide-Metal Interfaces. In: *Microscopy and Microanalysis* 24 (2018), 342-349, <http://dx.doi.org/10.1017/S1431927618012370>

33/2018, P. Felfer, L.T. Stephenson, T. Li, Atom Probe Tomography. In: *Practical Metallography* 8 (2018), <http://dx.doi.org/10.3139/147.110543>

2019

1/2019, J.Bresler, S. Neumeier, M.Ziener, F.Pyczak, M.Göken, The influence of niobium, tantalum and zirconium on the microstructure and creep strength of fully lamellar gamma/alpha₂ titanium aluminides. In: *Materials Science & Engineering A* 744 (2019) 46-53, <http://dx.doi.org/10.1016/j.msea.2018.11.152>

2/2019, B. Merle, Creep behavior of gold thin films investigated by bulge testing at room and elevated temperature. In: *Journal of Materials Research* 34(1) (2019), 69-77, <http://dx.doi.org/10.1557/jmr.2018.287>

3/2019, C. Schunk, M. Nitschky, H.W. Höppel, M. Göken, Superior mechanical properties of Aluminum–Titanium laminates in terms of local hardness and strength. In: *Advanced Engineering Materials* 21, (2019), <http://dx.doi.org/10.1002/adem.201800546>

4/2019, M. Lenz, Y. M. Eggeler, J. Müller, C. H. Zenk, N. Volz, P. Wollgramm, G. Eggeler, S. Neumeier, M. Göken, E. Spiecker, Tension/Compression asymmetry of a creep deformed single crystal Co- base superalloy. In: *Acta Materialia* 166 (2019) 597-610, <http://dx.doi.org/10.1016/j.actamat.2018.12.053>

5/2019, C. Löffl, H. Saage, M. Göken, In situ X-ray tomography investigation of the crack formation in an intermetallic beta-stabilized TiAl-alloy during a stepwise tensile loading. In: *International Journal of Fatigue* 124 (2019), 138-148, <http://dx.doi.org/10.1016/j.ijfatigue.2019.02.035>

6/2019, T. Müller, M.W. Kapp, A. Bachmaier, P. Felfer, R. Pippan, Ultrahigh-strength low carbon steel obtained from the martensitic state via high pressure torsion. In: *Acta Materialia* 166 (2019) 168-177, <http://dx.doi.org/10.1016/j.actamat.2018.12.028>

7/2019, X. Hou, S. Krauß, B. Merle, Additional grain boundary strengthening in length-scale architected copper with ultrafine and coarse domains. In: *Scripta Materialia* 165 (2019), 55-59, <http://dx.doi.org/10.1016/j.scriptamat.2019.02.019>

8/2019, J. Ast, M. Ghidelli, K. Durst, M. Göken, M. Sebastiani, A.M. Korsunsky, A review of experimental approaches to fracture toughness evaluation at the micro-scale. In: *Materials and Design* 173 (2019), <http://dx.doi.org/10.1016/j.matdes.2019.107762>

9/2019, M. Weiser, M.C. Galetz, H.-E. Zschau, C. H. Zenk, S. Neumeier, M. Göken, S. Virtanen, Influence of Co to Ni ratio in γ -strengthened model alloys on oxidation resistance and the efficacy of the halogen effect at 900 °C. In: *Corrosion Science* 156 (2019), 84-95, <http://dx.doi.org/10.1016/j.corsci.2019.05.007>

10/2019, A. Vaid, J. Guenole, A. Prakash, S. Korte-Kerzel, E. Bitzek, Atomistic simulations of basal dislocations in Mg interacting with Mg₁₇Al₁₂ precipitates. In: *Materialia* 7 (2019), 100355, <http://dx.doi.org/10.1016/j.mtla.2019.100355>

11/2019, S. Giese, S. Neumeier, J. Bergholz, D. Naumenko, W. J. Quadackers, R. Vaßen, M. Göken, Influence of Different Annealing Atmospheres on the Mechanical Properties of Freestanding MCrAlY Bond Coats Investigated by Micro-Tensile Creep Tests. In: *Metals* 9 (2019), 692, <http://dx.doi.org/10.3390/met9060692>

12/2019, G. Guillonneau, J. Wheeler, J. Whers, L. Philippe, P. Baral, H. W. Höppel, M. Göken, J. Michler, Determination of the true projected contact area by in situ indentation testing. In: *Journal of Materials Research* (2019), 2859-2868, <http://dx.doi.org/10.1557/jmr.2019.236>

- 13/2019, F. Glöckel, P.J.Uggowitzer, P.Felfer, S. Pogatscher, H.W. Höppel, Influence of Zn and Sn on the Precipitation Behavior of new Al-Mg-Si Alloys. In: *Materials* 2019, 12 (2019) ,2547, <http://dx.doi.org/10.3390/ma12162547>
- 14/2019, S. Lamm, D. Matschkal, M. Göken, P. Felfer, Impact of Mn on the precipitate structure and creep resistance of Ca containing magnesium alloys. In: *Materials Science and Engineering A* 761 (2019), 137964, <http://dx.doi.org/10.1016/j.msea.2019.05.094>
- 15/2019, C.F. Böhm, P. Feldner, B. Merle, S.E.Wolf, Conical nanoindentation allows azimuthally independent hardness determination in geological biogenic minerals. In: *Materials* 12 (10) (2019), 1630, <http://dx.doi.org/10.3390/ma12101630>
- 16/2019, M.Bykov, S. Chariton, H. Fei, T. Fedotenko, G. Aprilis, A. Ponomareva, F. Tasnadi, I. Abrikosov, B. Merle, P. Feldner, S. Vogel, W. Schnick, V. Prakapenka, E. Greenberg, M. Hanfland, A. Pakhomova, H.-P. Liermann, T. Katsura, N. Dubrovskaja, L. Dubrovskiy, High-pressure synthesis of ultraincompressible hard rhenium nitride pernitride $\text{Re}_2(\text{N}_2)(\text{N})_2$ stable at ambient conditions. In: *Nature Communications* 10, 1 (2019), 2994, <http://dx.doi.org/10.1038/s41467-019-10995-3>
- 17/2019, S.Giese, F. Kern, C.A.Macauley, S. Neumeier, M. Göken, Fracture resistance of yttria stabilized zirconia manufactured from stabilizer-coated nanopowder by micro cantilever bending tests. In: *Journal of the European Ceramic Society* 39, 13 (2019), 3830–3836, <http://dx.doi.org/10.1016/j.jeurceramsoc.2019.05.006>
- 18/2019, D. Matschkal-Amberger, M. Kolb, S. Neumeier, S. Gao, A. Hartmaier, K. Durst, M. Göken, New flat-punch indentation creep testing approach for characterizing the local creep properties at high temperatures. In: *Materials and Design* 183 (2019), 108090, <http://dx.doi.org/10.1016/j.matdes.2019.108090>
- 19/2019, C. Zenk, J.S.K.L. Gibson, V. Maier-Kiener, S. Neumeier, M. Göken, S. Korte-Kerzel, Low temperature deformation of MoSi_2 and the effect of Ta, Nb and Al as alloying elements. In: *Acta Materialia* 181 (2019), 385-398, <http://dx.doi.org/10.1016/j.actamat.2019.09.008>
- 20/2019, Y. Thompson, J. Gonzalez-Gutierrez, C. Kukla, P. Felfer, Fused filament fabrication, debinding and sintering as a low cost additive manufacturing method of 316L stainless steel. In: *Additive Manufacturing* 30 (2019), 100861, <http://dx.doi.org/10.1016/j.addma.2019.100861>
- 21/2019, N. Martic, C. Reller, C. Macauley, M. Löffler, B. Schmid, D. Reinisch, E. Volkova, A. Maltenberger, A. Rucki, K.J.J. Mayrhofer, G. Schmid, Paramelaconite-Enriched Copper-Based Material as an Efficient and Robust Catalyst for Electrochemical Carbon Dioxide Reduction. In: *Advanced Energy Materials* 9 (29) (2019), 1901228, <http://dx.doi.org/10.1002/aenm.201901228>
- 22/2019, S. Giese, S. Neumeier, D. Amberger-Matschkal, J. Bergholz, R. Vaßen, M. Göken, Microtensile creep testing of freestanding MgCrAlY bond coats. In: *Journal of Materials Research* 34 (2019), 2643-2652, <http://dx.doi.org/10.1557/jmr.2019.169>
- 23/2019, H. Zhou, C. Huang, X. Sha, L. Xiao, X. Ma, H. W. Höppel, M. Göken, X. Wu, K. Ameyama, X. Han, Y. Zhu, In-situ observation of dislocation dynamics near heterostructured interfaces. In: *Materials Research Letters* 7 (2019), 376-382, <http://dx.doi.org/10.1080/21663831.2019.1616330>
- 24/2019, E.I. Preiß, H. Lyu, J.P. Liebig, G. Richter, F. Gannott, P.A. Gruber, M. Göken, E. Bitzek, B. Merle, Microstructural dependence of the fracture toughness of metallic thin films: A bulge test and atomistic simulation study on single-crystalline and polycrystalline silver films. In: *Journal of Materials Research* 34 (2019), 3483-3494, <http://dx.doi.org/10.1557/jmr.2019.262>
- 25/2019, B. Merle, W.H. Higgins, G. M. Pharr, Critical issues in conducting constant strain rate nanoindentation tests at higher strain rates. In: *Journal of Materials Research* 34 (2019), 3495-3503, <http://dx.doi.org/10.1557/jmr.2019.292>
- 26/2019, W. Blum, J. Dvorak, P. Kral, P. Eisenlohr, V. Sklenicka, Strain Rate Contribution due to Dynamic Recovery of Ultrafine-Grained Cu–Zr as Evidenced by Load Reductions during Quasi-Stationary Deformation at 0.5 Tm. In: *Metals* 9 (2019), 1150, <http://dx.doi.org/10.3390/met9111150>

27/2019, W. Blum, J. Dvorak, P. Kral, P. Eisenlohr, V. Sklenicka, Quasi-Stationary Strength of ECAP-Processed Cu-Zr at 0.5 Tm. In: *Metals* 9 (2019), 1149, <http://dx.doi.org/10.3390/met9111149>

28/2019, S. Katnagallu, L.T. Stephenson, I. Mounon, C. Freysoldt, A.P.A. Subramanyam, J. Jenke, A.N.Ladines, S. Neumeier, T. Hammerschmidt, R. Drautz, J. Neugebauer, F. Vurpillot, D. Raabe, B. Gault, Imaging individual solute atoms at crystalline imperfections in metals. In: *New Journal of Physics* 21 (2019), 123010, <http://dx.doi.org/10.1088/1367-2630/ab5cc4>

2020

1/2020, J. He, C.H.Zenk, X. Zhou, S. Neumeier, D. Raabe, B. Gault, S.K. Makineni, On the atomic solute diffusional mechanisms during compressive creep deformation of a Co-Al-W-Ta single crystal superalloy. In: *Acta Materialia* 184 (2020), 86-99, <http://dx.doi.org/10.1016/j.actamat.2019.11.035>

2/2020, Y.F. Wang, C.X. Huang, X.T. Fang, H.W. Höppel, M. Göken, Y.T. Zhu, Hetero-deformation induced (HDI) hardening does not increase linearly with strain gradient. In: *Scripta Materialia* 174 (2020), 19-23, <http://dx.doi.org/10.1016/j.scriptamat.2019.08.022>

3/2020, D. Hausmann, C. Solis, L.P. Freund, N. Volz, A. Heinemann, M. Göken, R. Gilles, S. Neumeier, Enhancing the high-temperature strength of a Co-base superalloy by optimizing the γ / γ' microstructure. In: *Metals* 10 (2020), 321, <http://dx.doi.org/10.3390/met10030321>

4/2020, A. Bezold, N. Volz, F. Xue, C.H. Zenk, S. Neumeier, M. Göken, On the precipitation-strengthening contribution of the Ta-containing Co₃(Al,W)-phase to the creep properties of γ/γ' cobalt-base superalloys. In: *Metallurgical and Materials Transactions A* 51A (2020), 1567-1574, <http://dx.doi.org/10.1007/s11661-020-05626-2>